


| PUBLIC NOTICE/TENDER NOTICE | | | | | | | |
|-----------------------------|---|--|--|--------------------------------|---------------------------|--|---|
| Sr. No. | Name of Department /Board/ Corp./ Auth | Name of Work/ Notice/ Tender | Starting date & ending date (Time) | Amount/EMD (Approx.) in Rupees | Website of the department | Nodal Officer/ Contact details/ Email | Tender Ref. No/ Tender No |
| 1 | Shri Vishwakarma Skill University, Dudhola, Palwal, Haryana | Supply/Installation of Required Items List for Physiotherapy Laboratory (Major Equipment, Minor Equipment and Other Items) | 29-Apr-2026 11:55 AM to 14-May-2026 12:00 PM | EMD Amount 51,079/- | www.svsu.ac.in | Deputy Registrar 7496873094 tenders@svsu.ac.in | Tender No. & Tender Id.- SVSU/2026/PS/E-8855/SDLSHC/289 & 2026_HRY_518311_1 (http://etenders.hry.nic.in) |

| सावर्जनिक सूचना / निविदा सूचना | | | | | | | |
|--------------------------------|---|---|--|------------------------|------------------|--|--|
| क्रमांक | विभाग/बोर्ड/निगम/प्राधिकार का नाम | कार्य/ नोटिस/निविदा का नाम | आरंभ तिथि (समय) व समाप्ति तिथि (समय) | राशि/ईएमडी रूपये मे, | विभाग की वेबसाइट | नोडल अधिकारी/ संपर्क विवरण/ ईमेल | निविदा संदभ संख्या/ निविदा संख्या |
| 1 | श्री विश्वकर्मा कौशल विश्वविद्यालय, दुधोला, पलवल, हरियाणा | फिजियोथेरेपी प्रयोगशाला के लिए आवश्यक वस्तुओं की आपूर्ति/स्थापना की सूची (मुख्य उपकरण, छोटे उपकरण तथा अन्य सामग्री) | 29-Apr-2026 11:55 AM to 14-May-2026 12:00 PM | ई.एम.डी. राशि 51,079/- | www.svsu.ac.in | डिप्टी रजिस्ट्रार 7496873094 tenders@svsu.ac.in | टेंडर नं: SVSU/2026/PS/E-8855/SDLSHC/289 & 2026_HRY_518311_1 (http://etenders.hry.nic.in) |



SVSU

SHRI VISHWAKARMA SKILL UNIVERSITY

(Enacted Under Government of Haryana, Act No. 25 of 2016)

Village-Dudhola, Palwal, Haryana- Phone: 7496873094

Visit us at: www.svsu.ac.in

Tender Document

Supply/Installation

**of Required Items List for Physiotherapy Laboratory (Major
Equipment, Minor Equipment and Other Items)**

Sh

Sh

Prati

Tender No:

Prati
SVSU/2026/ PS/E8855/SDL54C/289

Dated: 28.04.2026



1. Notice Inviting Tenders

Sub: Notice Inviting Tenders for "Supply/Installation of Required Items List for Physiotherapy Laboratory (Major Equipment, Minor Equipment and Other Items)

Shri Vishwakarma Skill University, Haryana invites online Tender: "Supply/Installation of Required Items List for Physiotherapy Laboratory (Major Equipment, Minor Equipment and Other Items)" through e-procurement on portal <https://etenders.hry.nic.in> from reputed Manufacturers/Authorized Dealers/ Distributors/Agent as per TENDER document. The TENDER documents may also be downloaded from website (<https://www.svsu.ac.in>) of Shri Vishwakarma Skill University, Haryana for reference only. A minimum eligibility criterion has been given in TENDER document.

Apart from uploading e-tender on website, bidder has to deposit EMD and Tender Fee + E-service fees along with other documents.

1.1. SCHEDULE

| | | |
|----|---|----------------------|
| 1. | Tender No | |
| 2. | E-Service Portal Fee + GST | As per portal |
| 3. | Tender Fee + GST | |
| | (1) For Haryana based manufacturing Micro and Small Enterprises (MSEs) & Khadi Village Industries Unit eligible as per the "Haryana State Public Procurement Policy for MSME -2016" notified vide G.O. No. 2/2/2016-4I BII(1) dated 20-10-2016. | NIL |
| | (2) For Haryana based manufacturing Startups / First Generation Entrepreneurs eligible as per State policy "Concession / benefits in Public Procurement to Startups/ First Generation Entrepreneurs of State" issued vide G.O No.2/2/2016-4I B-II dated 03.01.2019. | NIL |
| | (3) For remaining bidders both from the Haryana and Non-Haryana | As per portal |
| 4. | EMD Amount | |
| | (1) For Haryana based manufacturing Micro and Small Enterprises (MSEs) & Khadi Village Industries Unit eligible as per the "Haryana State Public Procurement Policy for MSME | NIL |

Handwritten signatures and initials

| | | |
|------------|---|---|
| | -2016" notified vide G.O. No. 2/2/2016-4I BII (1) dated 20-10-2016. | |
| | (2) For Haryana based manufacturing Startups/First Generation Entrepreneurs eligible as per State policy "Concession/benefits in Public Procurement to Startups/First Generation Entrepreneurs of State" issued vide G.O No.2/2/2016-4I B-II dated 03.01.2019. | NIL |
| | (3) Central or Haryana Public Sector Enterprises and "approved sources" as declared by the Industries Department, Haryana | NIL |
| | (4) For remaining bidders both from the Haryana and Non-Haryana | 02 % of Tender Value/quoted value |
| 5. | Performance Security | |
| | Haryana Based manufacturing Micro and Small Enterprises (MSEs) | 0.2 %of the Total Order Value or estimated value of the rate contract |
| | Haryana Based Manufacturing Startups/First Generation Entrepreneurs | 0.2 %of the Total Order Value or estimated value of the rate contract |
| | Haryana based other firms/enterprises | 2 %of the Total Order Value or estimated value of the rate contract |
| | Other States/UTs based firms | 5 % of the Total Order Value or estimated value of the rate contract |
| | # Haryana based MSEs and Startups/First Generation Entrepreneurs will be eligible for performance security deposit @ 0.2% who have filed Entrepreneurs Memorandum (Micro or Small Enterprise category) in the Industries Department Haryana and who participate directly in the tendered/quoted items and offering to supply the entire quoted quantity manufactured from their own Haryana based unit. | |
| 6. | Product Warranty Period | 3 Years |
| 7. | Issue of Tender Document (Date of uploading of Tender & other Documents) (online) | 29-04-2026 at 11:55 Hrs. |
| 8. | Online Tender Download/Purchase Start Date | 29-04-2026 at 12:00 Hrs. |
| 9. | Last date for receipt of queries through Mail | 01-05-2026 upto 11:00 Hrs. |
| 10. | Date of pre-bid meeting | 01-05-2026 at 12:00 Hrs. |
| 11. | Online proposal Submission Start Date | 29-04-2026 at 12:00 Hrs. |
| 12. | Online proposal Submission End Date | 14-05-2026 at 12:00 Hrs. |
| 13. | Opening of Technical Bid | 15-05-2026 at 12:00 Hrs. |
| 14. | Technical Presentation | To be informed later |
| 15. | Financial Bid | To be informed later |



| | | |
|-----|---|--|
| 16. | Validity period of Proposal | 180 Days from the opening of financial bid. |
| 17. | Address of Communication | Registrar Shri Vishwakarma Skill University, Village-Dudhola, Palwal, Haryana- 121102 |
| 18. | Contact Officer Name, Phone Number and Email ID for this tender | E-mail id - tenders@svsu.ac.in Ph. No.: 9540519014, 7496873094 |

Note:

- Tender document can also be downloaded from University Website www.svsu.ac.in
- Amendments to TENDER, if any, would be published on e-procurement website <https://etenders.hry.nic.in> & on SVSU website but not in newspaper.
- The concessions/benefits to MSMEs/startup subject to fulfillment/eligible as per Haryana State Public Procurement Policy for MSME -2016 notified vide G.O. No. 2/2/2016-4I BII (1) dated 20-10-2016 and turnover criteria as per Haryana Government (or as amended from time to time in this regard).
- Queries will be sent to the Officer appointed for this tender. Each Bidder will send only one e-mail containing the Pre-Bid Queries, as per format mentioned below. In case of more than one e-mail, only the queries provided in the first e-mail will be considered.

| S. No. | Clause/Section/Reference/ Page/Paragraph | Existing clause/RFP Text | Queries/suggestions |
|--------|--|--------------------------|---------------------|
| 1. | | | |

Location of Supply/Installation: Skill department of Life Sciences and Healthcare, Ground Floor, Uday Giri Bhawan,, Shri Vishwakarma Skill University, Dudhola, Palwal, Haryana -121102

[Handwritten signatures]



1.1. DISCLAIMER

The information contained in this Tender document or subsequently provided to the bidders, whether verbally or in documentary or any other form by or on behalf of Shri Vishwakarma Skill University, Haryana is provided to bidder on the terms and conditions set out in this TENDER and such other terms and conditions subject to which such information is provided.

Information provided in this TENDER to the bidders is on a wide range of matters, some of which depends upon interpretation of law. The information given is not an exhaustive account of statutory requirements and should not be regarded as a complete or authoritative statement of law. The Shri Vishwakarma Skill University, Haryana accepts no responsibility for the accuracy or otherwise for any interpretation or opinion on the law expressed herein.

Shri Vishwakarma Skill University, Haryana also accepts no liability of any nature whether resulting from negligence or otherwise however caused arising from reliance or any bidder upon the statements contained in this TENDER.

Shri Vishwakarma Skill University, Haryana may in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information, assessment or assumption contained in this TENDER.

The issue of this TENDER does not imply that Shri Vishwakarma Skill University, Haryana is bound to select a bidder or to appoint the Selected Bidder, as the case may be, for the Consultancy and Shri Vishwakarma Skill University, Haryana reserves the rights to reject all or any of the Proposals without assigning any reasons whatsoever.

The bidder shall bear all its costs associated with or relating to the preparation and submission of its Proposal including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by Shri Vishwakarma Skill University, Haryana or any other costs incurred in connection with or relating to its Proposal. All such costs and expenses will remain with the bidder and Shri Vishwakarma Skill University, Haryana shall not be liable in any manner whatsoever for the same or for any other costs or other expenses incurred by a bidder in preparation or submission of the Proposal, regardless of the conduct or outcome of the Selection Process.



2. Instructions to Bidders

2.1. Subject: Invitation for "Supply/Installation of Required Items List for Physiotherapy Laboratory (Major Equipment, Minor Equipment and Other Items)"

Shri Vishwakarma Skill University, invites online Bids (Technical bid and Financial bid) from eligible and experienced OEM (Original Tools Manufacturer) OR OEM Authorized Dealer/Distributors/Agent for Supply of Required Items List for Physiotherapy Laboratory (Major Equipment, Minor Equipment and Other Items) with warranty period as stated at "Schedule "on site comprehensive warranty from the date of the satisfactory installation/commissioning of the tools as per terms & conditions specified in the tender document.

Bidders can access tender documents on the website of the University and fill them with all relevant information and submit the completed tender document with E-service Fee, Tender Fee and EMD amount online as per the schedule to <https://etenders.hry.nic.in>.

2.2. INSTRUCTIONS TO BIDDER FOR E-TENDERING

Note: Following conditions will over-rule the conditions stated in the tender documents, wherever relevant and applicable. Interested bidders can read the instructions related to e-tender system from the website www.etenders.hry.nic.in.

2.2.1. E-Tendering:

2.2.1.1. For participation in e-tendering module of Shri Vishwakarma Skill University, Haryana it is mandatory for prospective bidders to get registration on website <https://etenders.hry.nic.in>. Therefore, it is advised to all prospective bidders to get registration by making on line registration fees payment at the earliest.

2.2.1.2. Tender documents can be downloaded from website <https://www.svsu.ac.in>. However, the bidders have to upload complete tender document online along-with deposit of EMD amount and Tender Document Fee + E-service fee and without EMD amount & tender document + E Service fee bids will not be accepted.

2.2.1.3. E-service/gateway charges shall be borne by the bidders.

2.2.1.4. As per the directions of the Controller of Certifying Authorities, Ministry of Communication and Information Technology, Government of India, a **Class III Digital Certificate** shall be required to bid for all tenders solicited electronically. If the bidder does not have such a certificate, it may be obtained from any of the registering authorities or certification authorities. Kindly note that it may take at least three-five working days for the issue of a digital certificate. Bidders are advised to plan their time accordingly. Shri Vishwakarma Skill University, Haryana shall bear no responsibility/obligation for accepting bids



which are delayed due to non-issuance or delay in issuance of such digital certificate.

- 2.2.1.5. If bidder is bidding first time for e-tendering, then it is obligatory on the part of bidder to fulfil all formalities such as registration, obtaining Digital Signature Certificate etc. well in advance.
- 2.2.1.6. Bidders are requested to visit our e-tendering website regularly for any clarifications and/or due date extension or corrigendum.
- 2.2.1.7. Bidder must positively complete online e-tendering procedure at <https://etenders.hry.nic.in>
- 2.2.1.8. Shri Vishwakarma Skill University, Haryana shall not be responsible in any way for delay/difficulties/ inaccessibility of the downloading facility from the website for any reason whatsoever.
- 2.2.1.9. For any type of clarifications bidders/contractors can visit <https://etenders.hry.nic.in> and <https://www.svsu.ac.in>.
- 2.2.1.10. The bidder whosoever is submitting the tender by his Digital Signature Certificate shall invariably upload the scanned copy of the followings.
 - 2.2.1.10.1. Affidavits.
 - 2.2.1.10.2. Authority Letter to Sign on behalf of bidder, if filed by authorize representative.
 - 2.2.1.10.3. Authority Letter for use of Digital Signature, if filed by authorize representative.
 - 2.2.1.10.4. Technical Bid with all relevant enclosures.
 - 2.2.1.10.5. The prospective bidders will upload scanned self-attested copies of technical bid as required in e-tendering process. Unattested documents will not be entertained.
 - 2.2.1.10.6 Also Upload scanned copy of tender cost+E-Service fee and EMD Amount.
- 2.2.1.11. The Tender document cost+ E-Service Fee and EMD amount is to be deposited online by bidder.
- 2.2.1.12. The tenders uploaded without/incomplete/partial EMD amount and tender fee + E-service fees shall be disqualified and Proposal will not be accepted.
- 2.2.1.13. Any change/modifications/alteration in the TENDER by the Bidder shall not be allowed and such tender shall be liable for rejection.
- 2.2.1.14. The tender document fees shall not be refunded.
- 2.2.1.15. If the tenders are cancelled or recalled on any grounds, the tenders document fee & E-service fee will not be refunded to the bidders.

2.2.2. Technical bid: -

Bidders must positively complete online e-tendering procedure at <https://etenders.hry.nic.in>. They shall have to submit the documents as prescribed in the TENDER online in the website. The bidders may submit their complete bids (with all the requisite documents) in multiple



files.

2.2.3. Financial bid: -

Bidder must submit the Price/Financial bid document (BOQ) as per the format given in TENDER/available online and uploaded as per instructions therein. **Physical submission of price bid shall not be considered.** The financial bids of technically qualified bidders shall be opened online at the notified date. The bidder will be informed about financial through email/telephonically.

2.2.3.1 Shri Vishwakarma Skill University reserves the right for extension of due date of opening of financial bid.

2.2.3.2 Shri Vishwakarma Skill University reserves the right to accept or reject any or all tenders without assigning any reason what so ever.

2.2.3.3 In case due date for opening of tender document happens to be a holiday, the due date shall be shifted to the next working day for which no prior intimation will be given.

2.2.4. For amendment, if any, please visit <https://etenders.hry.nic.in> web site regularly. In case of any bid addendum/amendment/corrigendum/Notice/clarification, the responsibility lies with the bidders to note the same from web site. The **Shri Vishwakarma Skill University, Haryana** shall have no responsibility for any delay/omission on part of the bidder.



<< Organization Letter Head >>

3. TERMS and CONDITIONS

3.1 Due date: The tender has to be submitted online on or before the due date. No application will be received through post/e-mail/fax. The University would not be responsible for any delay.

3.2 Tender Fee and E-Service Fee (Non-Refundable): The Bidder should submit a non-refundable tender fee and e-service fee online. The Technical Bid without Tender fee would be considered as UNRESPONSIVE and will not be accepted. The tender fee will not be returned/refunded to any Bidder under any circumstances. If the tender is cancelled or recalled on any grounds, the Tender Document Fee and e-Service Fee will not be refunded to the bidder.

3.3 Preparation of Bids: The Technical and financial offer/bid should be submitted online. The technical bid should consist of all technical details along with commercial terms and conditions. Financial bid should indicate the price for the items mentioned in the technical bid. All pages of the technical bid have been signed with seal of firm by bidder/authorized signatory and **attested by Notary Public**. Unattested documents will not be entertained.

Revision in the technical bid and financial bid quoted in the offer will not be entertained after the last date and time fixed for receipt of tenders.

3.4 Earnest Money Deposit (EMD) (if applicable): While submitting bid, the BIDDER shall deposit an amount mentioned in tender document as Earnest Money, with the Institute through the following instruments:

3.4.1 The Bidder should submit an EMD amount online. The Technical Bid without EMD would be considered as UNRESPONSIVE and will not be accepted. The Earnest Money Deposit (EMD) in other form viz., Pay Order/Cheque etc. shall not be accepted.

3.4.2 No interest shall be payable by the BUYER to the BIDDER on Earnest Money for the period of its currency.

3.5 Refund of EMD: The EMD shall be returned without any interest to unsuccessful Bidders only after the award of Purchase Order. In case of successful Bidder, EMD will be returned without any interest after the submission of Performance Bank Guarantee.

EMD shall not be refunded, if the work order/purchase order is not accepted by the successful Bidder. In case, the offer is accepted, but not honored by the successful Bidder, the EMD shall be forfeited.

The EMD shall also be forfeited, if wrong information is furnished or any vital information is concealed in the tender document. Apart from it, he will be

[Handwritten signatures]



liable for any other action against him, as may be considered necessary by the Vice-Chancellor.





If the tender is cancelled or recalled on any grounds, the EMD will be returned to the bidder.

3.6 Opening of the tender:

- 3.6.1** On the due date of e-tender opening, the technical bids of bidders will be opened online. Shri Vishwakarma Skill University, Haryana reserves the right for extension of due date of opening of technical bid.
- 3.6.2** The bid will be opened by a committee duly constituted for this purpose in presence of Bidder's representative if available. Only one representative will be allowed to participate in the tender technical bid opening. The Bidder if interested may participate on the tender opening Date and Time.
- 3.6.3** Bid received without or incomplete Tender Fee or EMD will be rejected out rightly.
- 3.6.4** Tenders which do not fulfil any or all of the terms & conditions or incomplete, are liable to be rejected.
- 3.6.5** Incomplete bidding will not be accepted; in such case the bid will not be considered.
- 3.6.6** The technical bid will be opened first and it will be examined by a technical committee (as per specification and requirement).
- 3.6.7** The financial offer/bid will be opened only of those bidders who qualify on the basis of their Technical Bid and will be opened in the presence of the bidder/bidder's representatives subsequently for further evaluation. Only one representative will be allowed to participate in the Financial bid opening. The date & time of opening of the Financial bids will be intimated in the due course.
- 3.6.8** The Bidder should produce authorization letter from their company to participate in the technical bid opening, Technical Presentation and Financial bid opening.
- 3.6.9** The University may call bidders for demonstration and presentation of the tools during technical evaluation. The cost for the demonstration will be borne by the supplier and University will not pay any TA/DA for presentation/ demonstration. If any firm fails to successfully demonstrate the system quoted by them, the Bid of that firm will not be considered.
- 3.6.10** Sample for offered items may be asked from tender during technical evaluation.
- 3.6.11** In case, due date for opening of tender happens to be a holiday, the due date shall be shifted to the next working day for which no prior intimation will be given.

3.7 Acceptance/ Rejection of bids: The Committee reserves the right to reject any bid not fulfilling the eligibility criteria.

Eligibility Criteria:



- 3.7.1 An undertaking from the bidder is required stating that they would facilitate the Bidder on a regular basis with technology/product updates and extend support for the warranty as well. (Annexure-IV)
- 3.7.2 Bidder should be registered Company, should have GST number and supporting documents to be submitted.
- 3.7.3 Non-compliance of tender terms, non-submission of required documents, lack of clarity of the specifications, contradiction between Bidder specification and supporting documents etc. may lead to rejection of the bid.
- 3.7.4 Incomplete Tender such as unsigned Tender, late submitted Tender, conditional Tender, not confirming to the eligibility criteria and non-submitting Technical specification & compliance sheet with supporting documents or with any vaguer term such as 'Extra as applicable', will be considered as rejected.
- 3.7.5 In the tender, either the bidder on behalf of the Principal/OEM or on behalf of Principal/OEM itself can bid but both cannot bid simultaneously for the same item/product in the same tender.
- 3.7.6 If an agent submits bid on behalf of the Principal/OEM, the same agent shall not submit a bid on behalf of another Principal/OEM in the same tender for the same item/product.
- 3.7.7 The Agency should not have incurred any loss for the last 3 financial years which is mandatory. Bidders should submit audited latest Balance Sheet, Profit and Loss statement, Turnover Sheet and Income Tax Return Acknowledgement Copy for last financial year.
- 3.7.8 Sample for offered items may be asked from tender during technical evaluation.

3.8 Performance Security:

- 3.8.1 Performance Bank Guarantee is mandatory (annexure-VII).
- 3.8.2 The Successful Bidder shall require to submit the performance security/Guarantee for an amount (as stated at "Schedule "of this tender) in the form of irrevocable bank guarantee issued by any Indian Nationalized Bank for an amount which is stated at the "Schedule" of the tender document within 21 days from the date of receipt of work order/purchase order and should be kept valid for a period of 180 days beyond the date of completion of warranty period. The Performance security in other form viz., FD/Term Deposit Receipt etc. shall not be accepted.
- 3.8.3 The Successful Bidder should submit performance security/Guarantee as prescribed above to be received in the office of procurement department on or before 21 days from the date of issue of supply order acknowledgement.

[Handwritten signatures and initials]



- 3.8.4** The Performance Bank Guarantee should be established in favour of **The Registrar, Shri Vishwakarma Skill University, Dudhola, Palwal, Haryana 121102,** through any Bank situated at Palwal or outstation with a clause to enforced the same on their local branch at Palwal. Performance Bank Guarantee shall be for the due and faithfully performance of the contract and shall remain binding, notwithstanding such variations, alterations for extensions of time as may be made, given, conceded or agreed to between the successful Bidder and the purchaser under the terms and conditions of acceptance to tender.
- 3.8.5** If the supplier shall not submit the performance security within 21 days from the date of receipt of work order/purchase order and if there is delay in submission of performance security, purchase order may be cancelled. The competent authority may accept the performance security after the above-mentioned deadline of 21 days' subject to submission of justification by the Bidder, however the decision of the Competent Authority is final in this regard.
- 3.8.6** The successful Bidder is entirely responsible for due performance of the contract in all respects according to the speed, intent and meaning of the terms and conditions and specification and all other documents referred to in the acceptance of tender.
- 3.8.7** The performance bank guarantee shall be kept valid during the period of contract.
- 3.9 Force Majeure:** The Supplier shall not be liable for forfeiture of its performance security, liquidated damages or termination for default, if and to the extent that, it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.
- 3.9.1** For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 3.9.2** If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
- 3.10 Risk Purchase Clause:** In event of failure of supply of the item/tools within the stipulated delivery schedule, the purchaser has all the right to purchase the item/tools from the other source on the total risk of the supplier under risk purchase clause.
- 3.11 Delivery and Documents:** Delivery of the goods should be made on or before ----- at Shri Vishwakarma Skill University, Dudhola, Palwal - 121102, Haryana or at that place to be informed by the SVSU. The delivery period can be extended by the registrar, SVSU, Palwal, only in exceptional cases on written request of the supplier giving reason /explaining



circumstances due to which delivery period could not be adhere to. The material should be packed in a strong case so as to avoid any damage, theft or pilferage in the transit. In case of any damage, theft or pilferage, the responsibility shall be that of the supplier. The supplier shall mail the following documents to the purchaser: with a copy to insurance company.

3.11.1 4 Copies of the Supplier invoice showing invoice number, goods description, quantity, unit price, total amount

3.11.2 Manufacturer's/Supplier's warranty certificate to be provided.

Packing Instructions: Each package will be marked on three sides with the proper paint /indelible ink the following:

- Item Nomenclature
- Order/Contract No.
- Country of Origin of Goods
- Supplier's Name and Address
- Consignee details
- Packing list reference number

3.12 Liquidated Damages (L.D)/Penalty for Non-execution of Order: If a supplier fails to execute the order in time as per the terms and conditions stipulated therein, it will be open to the purchaser to recover liquidated damages for delay in delivery from the supplier at the rate 1% (one percent) of the total cost of the material/contract per week or such other amount as the Registrar, SVSU, Dudhola, Palwal may decide till the supply/work remains incomplete, provide that the total amount of the compensation shall not exceed 10% (ten percent) of the total cost of the material/contract.

The installation, commissioning and demonstration will be completed within one month from the delivery/supply of the material, if the bidder fails to install and demonstrate the material on time then the Registrar will be competent to impose penalty @ 1% per week of the purchase order or such other amount as the Registrar may decide till the supply/work remains incomplete, provided that the entire amount of penalty shall not exceed 10% of the total amount of Purchase order.

After the lapse of 15 days beyond the stipulated/extended period, it will be the discretion of the University to cancel the supply/work execution order at the risk and the cost of the Supplier/contractor. Besides, forfeiture of the Earnest Money/Performance Security, the University shall be at liberty to take such action as recovery of compensation to the extent of 10% of the amount of the supply/contract order, blacklisting, etc. An appeal against this penalty shall, however, lie with the Hon'ble Vice-Chancellor (VC), Shri Vishwakarma Skill University, DUDHOLA, PALWAL, HARYANA, whose decision shall be final.

Note: It is mentioned that both, delivery penalty and installation penalty can also be imposed simultaneously.

If the Liquidated Damage exceeds 10% of the order value, SVSU reserves the right to terminate the contract and SVSU will get the job completed by any other competent party. The difference of cost incurred by SVSU will be recovered from the Earnest Money Deposited/Performance Security

[Handwritten signature]

[Handwritten signature: Phrati]

[Handwritten signature]

[Handwritten signature]



submitted by the bidder.

- 3.13 Prices:** The price should be quoted in net per unit (after breakup) and must include all packing, forwarding, freight, insurance charges, loading, unloading, delivery charges, Excise duty/custom duty etc. may be quantified in terms of amount. The offer/bid should be exclusive of GST, which will be paid by the purchaser as applicable. However, the percentage of GST shall be clearly indicated. Charges not mentioned in the quotation/tender shall not be paid.
- 3.14 Rate contract with GEM or DS&D (Haryana):** If the bidder or their Principals are on rate contract with **GEM or DS&D (Haryana)**, this shall be mentioned specifically in the offer and a photocopy of the same, duly attested, may be appended.
- 3.15 Resolution of Disputes:** The dispute resolution mechanism would be as follows:
- 3.15.1** In case of Dispute or difference arising between the Purchaser and a domestic supplier relating to any matter arising out of or connected with this agreement, such disputes or difference shall be settled in accordance with the Indian Arbitration & Conciliation Act, 1996 and the rules there under amended as on date. The dispute shall be referred to the Vice Chancellor, Shri Vishwakarma Skill University and if he is unable or unwilling to act, the sole arbitration appointed by him willing to act as such Arbitrator. The award of the arbitrator so appointed with mutual consent of both parties as per above said Act shall be final, conclusive and binding on all parties to this order.
- 3.15.2** In the case of a dispute between the purchaser and a Foreign Supplier, the dispute shall be settled by arbitration in accordance with provision of sub-clause (i) above. But if this is not acceptable to the supplier then the dispute shall be settled in accordance with provisions of UNCITRAL (United Nations Commission on International Trade Law) Arbitration Rules.
- 3.15.3** The venue of the arbitration shall be the place from where the order is being issued.
- 3.16 Place of Jurisdiction:** The place of jurisdiction shall be district court Palwal Haryana.
- 3.17 Right to Use Defective Goods:** If after delivery, acceptance within the guarantee and warranty period, the operation or use of the goods proves to be unsatisfactory, the Purchaser shall have the right to continue to operate or use such goods until rectifications of defects, errors or omissions by repair or by partial or complete replacement is made without interfering with the Purchaser's operation.
- 3.18 Transfer and Subletting:** The supplier shall not sublet, transfer, assign or otherwise part with the acceptance to the tender or any part thereof, either directly or indirectly, without the prior written permission of the Purchaser.
- 3.19 Supplier Integrity:** The Supplier is responsible for and obliged to conduct all contracted activities in accordance with the Contract using state of the art



methods and economic principles and exercising all means available to achieve the performance specified in the contract.

3.20 Installation & Demonstration: The supplier is required to do the installation, commissioning and demonstration of the equipment within a week of the arrival of materials at the Shri Vishwakarma Skill University, Dudhola, Palwal 121102, Haryana or at that place to be informed by the SVSU, site of installation, after getting confirmation of site readiness from the University otherwise the penalty clause defined in Clause "Liquidated Damages (L.D)/Penalty for Non-execution of Order". In case of any damage to equipment and supplies during the carriage of supplies from the origin of equipment to the installation site, the supplier has to replace it with new equipment/supplies immediately at his own risk. SVSU will not be liable to any type of losses in any form.

3.21 Warranty:

3.21.1 Warranty period shall be (as stated at "Schedule "of this tender) from date of successful/satisfactory inspection report and acceptance of the equipment/material/goods by the SVSU for each item/system on comprehensive basis.

3.21.2 The Supplier shall, in addition, comply with the performance and/or consumption guarantees specified under the contract. If for reasons attributable to the Supplier, these guarantees are not attained in whole or in part, the Supplier shall at its discretion make such changes, modifications, and/or additions to the Goods or any part thereof as may be necessary in order to attain the contractual guarantees specified in the Contract at its own cost and expense and to carry out further performance tests. The warranty should be comprehensive on site.

3.21.3 The Purchaser shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall arrange to repair or replace the defective goods or parts within 10 days free of cost in Shri Vishwakarma Skill University, Dudhola, Palwal, Haryana - 121102, Haryana or at that place to be informed by the SVSU. The Supplier shall take over the replaced parts/goods at the time of their replacement. No claim whatsoever shall lie on the Purchaser for the replaced parts/goods thereafter. The period for correction of defects in the warranty period is 10 days. If the supplier having been notified fails to remedy the defects within 10 days, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expenses and without prejudice to any other rights, which the purchaser may have against the supplier under the contract.

3.21.4 The comprehensive warranty (if applicable) will commence from the date of the satisfactory installation/commissioning of the tools against the defect of any manufacturing, workmanship and poor quality of the components.

3.22 Governing Language: The contract shall be written only in English language. English language version of the Contract shall govern its



interpretation. All correspondence and other documents pertaining to the Contract, which are exchanged by the parties, shall be written in the English language only.

3.23 Interpretation Clause: The Contract shall be interpreted in accordance with the laws of the Union of India and all disputes shall be subject to place of jurisdiction i.e District Court of Palwal.

3.24 Notices:

3.24.1 Any notice given by one party to the other pursuant to this contract/order shall be sent to the other party in writing or by cable, telex, FAX or e mail and confirmed in writing to the other party's address.

3.24.2 A notice shall be effective when it is delivered or on the effective date of notice, whichever is later.

3.25 Bid Currencies: Prices shall be quoted in Indian National Rupee (INR).

3.26 Taxes: Suppliers shall be entirely responsible for all taxes, duties, license fees, octroi, road permits, etc., incurred until delivery of the contracted Goods to the Purchaser. However, GST in respect of the transaction between the Purchaser and the Supplier shall be payable extra, if so stipulated in the order.

3.27 Payment: For Indigenous supplies, 100% payment shall be made by the Purchaser against successful/satisfactory delivery, inspection, inspection report and acceptance of the equipment/material/goods at Shri Vishwakarma Skill University, Dudhola, Palwal, Haryana- 121102, Haryana or at that place to be informed by the SVSU in good condition and to the entire satisfaction of the Purchaser and on production of unconditional performance bank guarantee as specified in Clause of tender terms and conditions. Payment shall be released on receipt of the valid original bills in triplicate complete in all respect.

3.28 Manuals, (if any):

Bidder should submit the manual of tools in English language if applicable.

3.29 Defective Equipment/parts: If any of the tools supplied by the Supplier are found to be substandard, refurbished, un-merchantable or not in accordance with the description/specification or otherwise faulty, the faculty/expert Committee (committee constituted by The Registrar/Dean Academic/Dean Faculty) shall have the right to reject the tools. The prices of such tools shall be refunded by the Supplier with 18% interest if payments for such tools have already been made. All damaged or unapproved goods shall be returned at suppliers cost and risk and the incidental expenses incurred thereon shall be recovered from the supplier. Defective part in equipment, if found during warranty period, shall be replaced within 7 days on receipt of the intimation from this office at the cost and risk of supplier including all other charges. In case supplier fails to replace defective item as per above terms & conditions, SVSU may consider "Banning" the supplier and the Earnest Money Deposit (in pre-contract stage) and/or Security Deposit/ Performance Bank Guarantee (after the contract is signed) shall stand forfeited either fully or partially, as decided by the University Competent



Authority and the Authority shall not be required to assign any reason therefore.

No payment shall be made for rejected material nor would the Supplier be entitled to claim for such items. Rejected items would be removed by the Supplier from the site within two weeks of the date of rejection at his own cost. In case they are not removed, they shall be auctioned at the risk and responsibilities of the Supplier without any further notice.

3.30 Termination for Default:

3.30.1 The Purchaser may, without prejudice to any other remedy for breach of contract, by written notice of default sent to the Supplier, terminate the Contract in whole or part:

3.30.1.1. If the Supplier fails to deliver any or all of the Goods within the period(s) specified in the order, or within any extension thereof granted by the Purchaser.

3.30.1.2. If the Supplier fails to perform any other obligation(s) under the Contract.

3.30.1.3. If the Supplier, in the judgment of the Purchaser has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.

3.30.2 For the purpose of this Clause:

3.30.2.1. "Corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.

3.30.2.2. "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among Bidder (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Borrower of the benefits of free and open competition.

3.30.3 In the event the Purchaser terminates the Contract in whole or in part, the Purchaser may procure, upon such terms and in such manner, as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Purchaser for any excess costs for such similar Goods or Services. However, the Supplier shall continue the performance of the Contract to the extent not terminated.

[Handwritten signatures and initials in blue ink]
 PH nati
 Heng
 M. M. M.



3.31 Reservation of Rights:

- 3.31.1 The University reserved all the right to enhance or mitigate the quantity without any notice.
- 3.31.2 The University reserves all the right to accept or reject any or all tenders without assigning any reason what so ever at any stage and no further correspondence will be entertained in this regard.
- 3.31.3 The University reserved all the right to change any Date, Time and condition of Tendering without assigning any reasons.
- 3.31.4 The acceptance or rejection of the technical bid/tender will be the sole decision of the university.
- 3.31.5 The university is not bound to accept any Proposal, and reserves the right to annul the selection process at any time prior to award of Contract without thereby incurring any liability to the Consultant.
- 3.31.6 The University reserved all the right to call/demand any document from the bidder as and when required or to reject the bid.

3.32 Technical compliance: The technical compliance report must be provided to indicating conformity to the technical specifications and agree to comply with the requirements and intent of specification. (Annexure-II)

3.33 Evaluation of Offer:

- 3.33.1 L1 will be decided on the basis of the policy guidelines issued by Government of Haryana vide G.O. No. 2/2/2010-4I-BIII of dated 19/12/2011 (or as amended from time to time in this regard).
- 3.33.2 If in the event of a tie in L1 in the Financial bid, the university will negotiate with all the eligible bidders and the bidder whose quotes are lower than other bidders will be declared as L1.
- 3.33.3 Offer which deviates from the vital conditions (as illustrated below) of the tender shall be rejected:
 - 3.33.3.1. Non-submission of complete offers.
 - 3.33.3.2. Receipt of offers after due date and time and/or by post/email / fax (unless specified other-wise).
 - 3.33.3.3. No revision in the terms and conditions quoted in the offer shall be entertained after last date and time fixed for receipt of tender.

3.34 Negotiation of Rates: Regarding negotiations of rates, policy issued by the State Government vide G.O. No.2/2/2010-4-IB-II dated 18.06.2013, G.O. No.2/2/2010-4-IB-II dated 16.06.2014, G.O. No.2/2/2010-4-IB-II dated 09.02.2015 will be applicable. The policy guidelines are available at <https://haryanaeprocurement.gov.in> on home page under section as Tender Forms."

3.35 Sanctions for Violations: Any breach of the aforesaid terms & Conditions and Technical Specification, requirements & conditions by the bidder or any one employed by it or acting on its behalf (whether with or without the

[Handwritten signatures and initials]



knowledge of the bidder) shall entitle the buyer to take all or any one of the following actions, wherever required:

- 3.35.1 To immediately call the pre-contract negotiations with other bidders without assigning any reason or giving any compensation to the bidder. However, the proceedings with the other bidder(s) would continue.
- 3.35.2 The Earnest Money Deposit (in pre-contract stage) and/or Security Deposit/Performance Bank Guarantee (after the contract is signed) shall stand forfeited either fully or partially, as decided by the buyer and the buyer shall not be required to assign any reason therefore.
- 3.35.3 To immediately cancel the contract, if already signed without giving any compensation to the bidder.
- 3.35.4 To recover all sums already paid by the buyer, and in case of an Indian bidder with interest thereon at 2% higher than the prevailing Prime Lending Rate of State Bank of India, while in case of a bidder from a country other than India with interest thereon at 2% higher than the LIBOR. If any outstanding payment is due to the bidder from the buyer in connection with any other contract for any other stores, such outstanding payment could also be utilized to recover the aforesaid sum and interest.
- 3.35.5 To encash the advance bank guarantee and performance guarantee/warranty bond, if furnished by the bidder, in order to recover the payments, already made by the buyer, along with interest.
- 3.35.6 To cancel all or any other contracts with the bidder. The bidder shall be liable to pay compensation for any loss or damage to the buyer resulting from such cancellation/rescission and the buyer shall be entitled to deduct the amount so payable from the money(s) due to the bidder.
- 3.35.7 To debar the bidder from participating in future bidding processes of the University for a minimum period of two years, which may be further extended at the discretion of the buyer.
- 3.35.8 Forfeiture of Performance Bank Guarantee in case of a decision by the buyer to forfeit the same without assigning any reason for imposing sanction for violation.
- 3.35.9 Legal action may be initiated against such Bidder in case any of the information submitted by the Bidder is found to be false at any stage of the contract.

3.36 **BID SIGNING:** The Tender must be signed by authorized signatory of the bidding firm/company on each page of the bid, along with seal of the firm/company.

3.37 **Conditional Bid:** Conditional Bid is not acceptable. Hence, the supplier is advised neither to alter the specification nor to mention anything on the Tender form, except cost, signature with seal, otherwise his Tender will not be considered. Conditional tenders will not be entertained at all and are liable to be rejected summarily.



There should not be any alterations in the bidding documents. In case any alteration is found at any stage, the tender shall be liable for rejection summarily without further appeal.

3.38 Delivery Period: The order must be completed within 7 days from the date of issuance of the purchase order.

3.39 Contacting to SVSU Officers: Bidder shall not approach SVSU officers beyond office hours and/or outside SVSU office premises from the time of the Bid opening to the time of finalization of successful bidder. Any effort by bidder to influence SVSU office in the decision on Bid evaluation, bid comparison or finalization may result in rejection of the Bidder's offer. If the bidder wishes to bring additional information to the notice of SVSU, it should be in writing.

3.40 Forfeiture of EMD/ BG/Performance Security: EMD/ BG/Performance Security made by bidder may be forfeited under the following conditions:

3.40.1 During the evaluation process, if a bidder indulges in any such activity as would jeopardize the process, the decision of SVSU regarding forfeiture of EMD shall be final and shall not be called upon question under any circumstances.

3.40.2 If bidder violates any of the provisions of the terms and conditions of the proposal.

3.40.3 In case supplier fails to fulfil the all terms & conditions and Technical Specification, requirements & conditions, SVSU may consider "Banning" the supplier and the Earnest Money Deposit (in pre-contract stage) and/or Security Deposit/Performance Bank Guarantee (after the contract is signed) shall stand forfeited either fully or partially, as decided by the SVSU and the SVSU shall not be required to assign any reason therefore.

3.40.4 In the case of a successful bidder, if bidder fails to:

3.40.4.1. Accept the work order along with the terms and conditions.

3.40.4.2. Furnish performance security.

3.40.4.3. Violates any of the work conditions of this proposal or indulges in any such activities as would jeopardize the work.

3.40.4.4. Submitting false/misleading information/ declaration/ documents/ proof/etc.

Phnate *off* *Henry*
Her



3.40.5 The decision of SVSU regarding forfeiture of EMD/ BG shall be final and shall not be called upon to question under any circumstances, besides, forfeiture of EMD/ BG even the bidder will be deferred from participating in any job for a period of two years.

3.41 Amendment of Tender Document: At any time before the deadline for submission of tender, SVSU may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective firm, modify the Tender document by amending, modifying and/or supplementing the same. All prospective firms shall be notified of any amendments on e-tender website and/or SVSU web site and all such amendments shall be binding on them without any further act or deed on SVSU's part. The prospective firms are advised to periodically browse e- tender website and/or university website www.svsu.ac.in to find out any further addendum/amendment/corrigendum/Notice/clarification published with respect to this tender. In case of any bid addendum/amendment/corrigendum/Notice/clarification, the responsibility lies with the bidders to note the same from web site. The **Shri Vishwakarma Skill University, Haryana** shall have no responsibility for any delay/omission on part of the bidder. In the event of any amendment, SVSU reserves the right to extend the deadline for the submission of the bids, in order to allow prospective Bidders reasonable time in which to take the amendment into account while preparing their bids.

3.42 Model Clause for Land Border Sharing Countries with India: As per the Order of Ministry of Finance, Department of Expenditure, Public Procurement Division. F.No. 6-18-2019-PPD Date 23/07/2020, any bidder from such countries sharing a land border with India will be eligible to bid in any procurement whether of goods, services (including consultancy services and non-consultancy services) or works (including turnkey projects) **only if the bidder is registered with the Competent Authority**, Specified in Model Clause and Certificate Annex -XVI.

The Competent Authority for the purpose of Registration under this order shall be the Registration Committee constituted by the Department for Promotion of Industry and Internal Trade (DPIIT).

Bidders can read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India as per the Order of Ministry of Finance, Department of Expenditure, Public Procurement Division. F.No. 6-18-2019-PPD Date 23/07/2020.

A certificate for the same shall be submit by the bidder as Specified in Model Clause and Certificate Annex -XVI.

3.43 Special Terms and Conditions:



SVSU

- 3.43.1** The offer without complete or partial prescribed earnest Money, tender Fee & E-Service fee is liable to be summarily rejected.
- 3.43.2** The deficiency in the documents and tender requirement can be made subject to the decision made by procurement department/all the tender committees individually has a right to call/demand any document from the bidder as and when required or to reject the bid. Procurement department/all the tender committees individually are empowered to take any action/decision /requirement of documents at any stage.
- 3.43.3** Any company/firm/dealer/manufacturer black listed by Central/State Government/Autonomous organization are not entitled to submit the tender. If it is submitted, it will be rejected and Earnest Money Depositor/and Performance security will be seized and legal action will be taken against them.
- 3.43.4** The firm/agency/bidder should not be black-listed/de-listed/debarred/demobilized for poor or unsatisfactory performance from any project by Govt. of India/Any other State Govt./Haryana Govt. or its Departments/agencies etc. for which he has to submit the affidavit.
- 3.43.5** Bidder should abide to all terms and conditions and Technical Specification stipulated in tender document and Supply of tools etc. in running condition within stipulated time frame for which he has to submit the affidavit.
- 3.43.6** Bidder should submit affidavit for Authenticity and correctness of information/documents stipulated in tender document.
- 3.43.7** Bidder should submit the Affidavit and relevant certificate/document regarding seeking benefits/ concessions by Haryana based manufacturing Micro, Small and Medium Enterprises (MSEs) and Startups/First Generation Entrepreneurs (If Applicable)
- 3.43.8** The foreign manufacturer or their Indian representative will ensure a proper service after sale as per requirement from time to time, against the guarantee/warranty clause as per the terms and conditions agreed. Any negligence on this account shall be the sole responsibility of foreign bidder and liability for compensation will be fixed up by the Department.
- 3.43.9** Reference, information and certificates from the respective clients certifying technical and execution capability should be signed and the contact numbers of all such clients should be mentioned. The University may also independently seek information regarding the performance from the clients and visit referred customers' consortium partner in India/Abroad at bidder cost.
- 3.43.10** In case any BIDDER is silent on any clauses mentioned in this tender document, the Institute shall construe that the BIDDER had accepted the clauses as per the invitation to tender.
- 3.43.11** The concessions/benefits to MSMEs/startup subject to fulfillment/eligible as per Haryana State Public Procurement Policy for MSME -2016 notified vide G.O. No. 2/2/2016-4I BII(1) dated 20-

[Handwritten signatures]



10-2016 and turnover criteria as per Haryana Government (or as amended from time to time in this regard).

3.43.12 All the terms and conditions and Technical specifications contained in the Tender document shall be the part of this agreement.

3.43.13 Pre-dispatch inspection (if required): Pre-dispatch inspection shall be done by representatives of Department at the site of vendor/place of same item supplied by the vendor. An inspection report stating conformations to the specifications as laid down in the tender document and about satisfactory report of the tools during test trials will be submitted. Non-conformity to the specifications/unsatisfactory performance during test trails/defects (if any) will lead to the rejection of the tools.

3.43.14 Supplier should supply the tools on item wise basis as mentioned in tender document and partial bidding will be accepted.



Annexure 1A

Specification and Requirements: -

| Required Items List for Physiotherapy Laboratory | | | |
|--|---|--|---------------------|
| Functional Diagnostic Lab (Electro diagnosis Lab) | | | |
| S. No. | Name of Equipment | Technical Specifications | No. of units |
| 1 | Diagnostic Electrical Stimulator with Facility to draw SD Curve | <ul style="list-style-type: none">• Frequency Range: 0.1 Hz to 300 Hz (adjustable).• Output Current: 0-100 mA with precision adjustment.• Waveforms: Rectangular, triangular, sinusoidal pulses, and user-defined patterns.• Timer: Adjustable up to 90 minutes with automatic shutoff.• Display: Digital high-resolution LCD with graphical representation.• Safety Features: Overload protection, short-circuit prevention, and in-built self-diagnostic system.• Outputs: Galvanic, Interrupted Galvanic, Faradic, Surged Faradic, TENS.• Voltage: Adjustable up to 150V.• Pulse Width Options: Multiple, ranging from microseconds to milliseconds.• Adjustable Intensity Levels.• Audible & visual segment display• Electrode pads (reusable and disposable).• Conductive gel (hypoallergenic).• Elastic electrode straps. | 2 |
| 2 | Biofeedback Unit | <ul style="list-style-type: none">• Channels: Dual or quad-channel configuration.• Frequency Range: 20 Hz to 1 kHz with adjustable gain.• Sensitivity: 0.01 μV to 500 μV.• Feedback Modes: Audio, visual, and vibratory feedback options.• Power Supply: Rechargeable Li-ion battery and AC adapter.• Display: OLED screen for detailed visualization.• Provides a measuring range of 0-200 mmHg analog pressure with an accuracy of +/- 3-5 mmHg pressure• Use with exercise to protect and stabilize joints,• Accessories & Components• Reusable electrodes. | 1 |

Handwritten signatures and initials:
Ae, M, Phnat, JS



| | | | |
|---|--------------------|--|---|
| | | <ul style="list-style-type: none"> • Adjustable straps. • USB-C data and charging cable. | |
| 3 | E.M.G./NCV/EP Unit | <ul style="list-style-type: none"> • Connectivity - USB/ETHERNET • Channel - Minimum 8-10 • Input impedance - above 100 K ohms differential mode, > 1000Mohm in common mode • Sensitivity - 1 micro volt per division to 10 milli volt per division • Noise - < 0.7 micro volt RMS • EMG Sensitivity - High-resolution amplifier with noise reduction. • NCV - Motor and sensory conduction with F-wave and H-reflex. • EP: - Visual, auditory, and somato sensory evoked potentials. • Display - Real-time waveform with analysis tools. • Data Storage - Internal storage with PC connectivity. • Power Supply - 220V AC with battery backup • Shielded EP electrodes - 10 sets • Ground electrodes disc type - 2 sets • Ground electrodes strap type(Adult-2 & Pead-2) • Recording electrodes cup - 10 sets • Ring electrodes & BAR stimulating electrodes- (Adult-2 & Pead-1 each) • Conductive paste (3 Jars of 225 gms or more) - 5 sets • Skin preparation gel (Set of 2 tubes) - 3 set • EMG disposables needles (Box of 25) - 1 boxes (Pead size) • EMG disposables needles (Box of 25) - 3 boxes (adult size) • Single fibre EMG needle - 2 . (Reusable) • Temperature probe - 2 , LED Goggles - 1 • Acoustically shielded Head Phones - 1) • Insert Ear Phones - 1 with following buds (Reusable Adult buds - 2, Reusable Pead buds - 2) | 1 |

EXERCISE TOLERANCE AND FITNESS LAB

| S. No. | Name of Equipment | Technical Specifications | No. of units |
|--------|--|--|--------------|
| 1 | Bicycle Ergometer Having speedometer and Adjustable Load | <ul style="list-style-type: none"> • Load Range: 40 to 660 Watts • Speedometer: Digital with real-time speed display • Adjustability: Manual or automatic | 1 |

[Handwritten signatures]

| | | | |
|---|---|--|---|
| | | <p>resistance adjustment</p> <ul style="list-style-type: none"> • Power Supply: Mains or battery-operated • Weight Capacity: Up to 145 -155 kg • Accessories: Adjustable seat and handlebar • Work Load Range 7 to 750 W; 1000 W peak • Work Load Accuracy<1000 W • Dimensions and weight ° (L x W x H) 40 - 42.3" (100 -110 cm) x 18.0 – 18.2" (45 - 50 cm) x 44.5 – 50.0" (110 - 115 cm) °Net weight - (62- 65 kg) °Maximal subject weight: 396.0 - 3950 lbs <p>Accessories &Components</p> <ul style="list-style-type: none"> • Cord | |
| 2 | Skin Fold Calipers | <ul style="list-style-type: none"> • Measurement Range: 0 to 90 mm • Accuracy: ±0.1 mm • Material: High-grade aluminum or plastic • Calibration: Pre-calibrated with spring tension system • Simple, very accurate unit has spring loaded • Levers and low-pressure bearing for constant pressure Scale permits reading up to 60 mm. • Lightweight aluminium casted insures years of reliable use • Accessories &Components • Calibration block/tool • Instruction manual/chart for body fat percentage • Carrying/storage case • Measurement reference guide • Adjustment wrench (for mechanical models) | 2 |
| 3 | Weighing Scale with Height Measuring Facility | <ul style="list-style-type: none"> • Capacity: Up to 250 kg • Accuracy: ±0.1 kg • Display: Digital LCD with backlight • Power Supply: Battery-operated or rechargeable • Material: Tempered glass platform with anti-slip feet <p>Accessories &Components</p> <ul style="list-style-type: none"> • User manual, Calibration weights | 3 |
| 4 | Spiro meter and Peak flow meter | <p>Spirometer</p> <ul style="list-style-type: none"> • Flow Range: 0 to 16 L/s • Volume Accuracy: ±3% • Display: Digital with graphical feedback | 2 |

Handwritten signature in blue ink



| | | | |
|---|---------------------|---|---|
| | | <ul style="list-style-type: none"> • Software: PC-compatible analysis software • Power Supply: Rechargeable battery • PC based spirometer for Lung function screening. • Just install the application software, connect to the cable to the USB port and will transform your computer (Desktop / Laptop) in a complete Spirometer. The great advantage is the flexibility of new user friendly software, allowing any calculation and measurement data management no batteries are required. • Power supply is directly provided by the PC. • incentive Lung Age Calculation • Disposable mouthpieces, Carrying case <p>Peak flowmeter</p> <ul style="list-style-type: none"> • Measurement Range: 50 to 900 L/min • Accuracy: $\pm 10\%$ • Display: Mechanical or digital scale • Accessories: Disposable mouthpieces • Dimensions: 10 x 6 x 24cm • Weight: 125g • Measurement range 60 – 880 L/min (ATS) 60 – 800 L/min (EU) • Accuracy: $\pm 10\%$ or 10 L/min • Repeatability: < 5 l/min • Accessories & Components • Disposable mouthpieces (single-use) • Carry pouch or case • Instruction manual with peak flow zones chart • Cleaning brush or tool (if reusable) • Nose clip (optional, for pediatric use) | |
| 5 | Pulse Oximeter | <ul style="list-style-type: none"> • SpO2 Range: 60% to 100% • Pulse Rate Range: 20 to 260 bpm • Display: OLED or LED • Power Supply: Battery-operated • Accessories & Components • Carrying pouch, Lanyard | 5 |
| 6 | Hand Evaluation Kit | <ul style="list-style-type: none"> • Material: Stainless steel and high-quality plastic • Includes 7 pieces: Hydraulic Hand Dynamometer Hydraulic pinch Gauge Finger Goniometer in a convenient, padded carrying bag | 1 |

Handwritten signatures and initials in blue ink.



| | | | |
|---|--|--|---|
| | | <p>3-point Discriminator Wattenberg Pinwheel Finger Circumference Gauge Functional Finger Motion Gauge Accessories & Components</p> <ul style="list-style-type: none"> • Carrying case | |
| 7 | Dynamometer (Hand, Back-leg chest) Manual | <ul style="list-style-type: none"> • Load Capacity: Up to 290 - 310 kg • Display: Analog or digital • Material: Stainless steel frame with padded handles • Measure Strength of back, leg and chest. Base provides secure footing. • Chain length is adjusted to accommodate height differences or to vary the point of force application. Shows pounds and kilograms. • Pointer remains at maximum until reset. • Comes fully assembled with 5 foot chain. • Oversize 24" x 24". Regular base 18" x 18". • Accessories & Components • Calibration tools | 1 |
| 8 | Sensory Integration Kit | <ul style="list-style-type: none"> • Includes: Weighted blankets, tactile boards, therapy balls. • Material: Durable, non-toxic PVC. • Use these evaluators to test sensory levels and obtain objective data for accurate reporting on the status of diminishing or returning sensibility. • Touch-Test Sensory Evaluators are individually calibrated within a 5% standard deviation of a predetermined level of force. The monofilament bends when peak force threshold is reached. The unique handle easily opens to a 90° angle for testing. When closed, the Sensory Evaluator can be carried safely in a pocket or carrying case, protecting the monofilament when not in use. • Finger indentations on the handle provide a firm, comfortable hold. The Sensory Evaluator handles are marked with the corresponding color-coded pressure level. • Available in a 5 Piece Hand Kit, a 6 Piece Foot Kit and a 20 Piece Full Kit. • These portable sensory evaluators are calibrated to within a 5% standard deviation of each target force | 1 |

[Handwritten signatures]



| | | | |
|---|---------------------------|---|---|
| | | Accessories & Components • Carry case. | |
| 9 | Body Composition Analyser | <ul style="list-style-type: none"> • Principle Bioelectrical Impedance Analysis • Configuration Tetra polar electrode configuration • Frequency used 6.23 – 6.26 KHz, 40 -70 KHz , 200 - 260 KHz • Mechanical Dimensions 22.0 – 22.6cm X 19.0 -196cm X 5-8cm • Weight 780 - 800 g. • Power Input +8.4V(2.8A) Accessories & Components <ul style="list-style-type: none"> • Electrode pads (for models using bioelectrical impedance) • Printer or printout roll (for result summaries) • USB cable or Bluetooth module (for data transfer) • Cleaning wipes or disinfectant spray • Calibration weight or kit • Carrying case or cover (for portable models) • User manual and reference charts • Software CD or cloud login credentials (for data analysis/reporting) | 1 |

BIOMECHANICS and KINESIOLOGY

| S. No. | Name of Equipment | Technical Specifications | No. of units |
|--------|----------------------------|--|--------------|
| 1 | Full Size Postural Mirrors | <ul style="list-style-type: none"> • Construction; Mirror Size 160 -168cm x 40 -50cm, is protected by 6 -8cm wide hardwood polished frame with plywood back. • Mirror: Bright and distortion free images for the observation of posture by patients. • Mirror Frame; Fitted with a tubular stand and mounted on 4 ball bearing rubber castors of 45 - 55mm dia. • Approximate overall size with stand is 180 - 195cm high x 55 - 65cm wide x 55 - 65cm deep. • Metal parts with powder coated finish. Accessories & Components <ul style="list-style-type: none"> • Wall-mounting brackets or floor stand • Protective safety film • Tilt-adjustable frame (optional) • Cleaning cloth | 1 |
| 2 | Plumb Line | <ul style="list-style-type: none"> • Material: Steel weight with nylon cord • Length: Up to 2 meters | 12 |

Handwritten signatures and initials in blue ink.



| | | | |
|---|--|--|---|
| | | <ul style="list-style-type: none"> • Weight: 90-250 grams • Conical plummet • Accessories & Components • Carrying case | |
| 3 | Various Orthosis & Proshesis for demonstration | <p>Cervical Collar</p> <ul style="list-style-type: none"> • Material: High-density foam with fabric cover • Size: Adjustable with Velcro straps • Height: Available in 2 - 3inch to 4 - 5inch options <p>Accessories & Components</p> <ul style="list-style-type: none"> • User guide <p>Lumbar Belt</p> <ul style="list-style-type: none"> • Material: Elastic fabric with adjustable Velcro straps • Size: Small, Medium, Large, and Extra Large• <p>Accessories & Components</p> <ul style="list-style-type: none"> • Reinforcing stays or splints • Hook and loop fasteners • Elastic compression bands • Washable cover <p>Shoulder sling</p> <ul style="list-style-type: none"> • Material: Breathable fabric with padded straps • Size: Universal size with adjustable straps • Design: Ergonomic design for comfort • Colour: Any , item • weight: 180-220 gm,• <p>Accessories & Components</p> <ul style="list-style-type: none"> • Adjustable shoulder strap • Thumb loop • Arm support pouch • Padding for comfort <p>Knee splint</p> <ul style="list-style-type: none"> • Material: Aluminium frame with foam padding • Size: Universal adjustable • Support: Side metal stays for stability • colour : Any • Net weight 250-300gm • Special feature: Hinged brace <p>Accessories & Components</p> <ul style="list-style-type: none"> • Adjustable Velcro straps • Removable metal or plastic stays • Padding inserts • User manual <p>Hand Splint</p> <ul style="list-style-type: none"> • Material: Thermoplastic or aluminium with foam lining | 1 |

[Handwritten signatures and initials]



| | | | |
|---|---------------------------------|--|---|
| | | <ul style="list-style-type: none">• Size: Universal adjustable• Design: Ergonomic and lightweight• Support: Side metal stays for stability Accessories & Components <ul style="list-style-type: none">• Velcro straps Elbow splint <ul style="list-style-type: none">• Material: Aluminium frame with padded straps• Size: Universal adjustable• Design: Anatomical shape for comfort Accessories & Components <ul style="list-style-type: none">• User guide• Foam padding• Adjustable straps• Extension block Chest support <ul style="list-style-type: none">• Material: Elastic fabric with Velcro straps• Size: Small, Medium, Large, and Extra Large• Support: Reinforced for additional stability Accessories & Components <ul style="list-style-type: none">• Elastic compression band• Velcro closure• Breathable mesh lining• Size adjustment tabs | |
| 4 | Goniometers (360, 180 & Finger) | <ul style="list-style-type: none">• Four, 0 to 90°, Two, 0 to 180° & One, 0 to 360 degree scales in 5 degree increments to read Range of Motion.• Aluminium sheet construction with a locking arm. Knurled knob adjusts arm tension or fully Locks the arm.• Overall length 30cm. comes in a beautiful pouch for storage Accessories & Components <ul style="list-style-type: none">• Storage pouch | 2 |
| 5 | Stadiometer | <ul style="list-style-type: none">• Height Range: Up to 2.5 meters• Scale: Digital or manual sliding scale• Material: Aluminium frame with plastic headpiece• The stadiometer measures from 8 inch – 82 inch and 20 cm – 210 cm with 0.125 in / 0.1 cm graduations• visible on both sides of the height rod• The IndoSurgicals portable height measuring rod is lightweight and easily carried - ideal for any traveling• A window in the Stadiometer's headpiece allows for a clear view of the height reading Accessories & Components <ul style="list-style-type: none">• Mounting screws (if wall-mounted) | 1 |



| | | | |
|---|-----------------|--|---|
| 6 | Measuring Tapes | <ul style="list-style-type: none"> • Made of high-quality durable material • Product Dimensions 10L x 5W Centimeters Blade Length 150 Centimetres Accessories & Components • Case | 4 |
|---|-----------------|--|---|

Medical Physics and Fundamental of Electrotherapy Lab

| Sr. No. | Name of Equipment | Technical Specifications | No. of units |
|---------|------------------------------------|---|--------------|
| 1 | Multimeter (Analogue & Digital) | Bench/portable analogue and digital multimeter Measures AC/DC voltage, current, resistance; continuity and fuse protection <ul style="list-style-type: none"> • CAT rating and shrouded leads • Accuracy suitable for teaching lab • Calibration certificate. | 2 |
| 2 | Variable Capacitance | Hospital/teaching grade product suitable for undergraduate physiotherapy lab <ul style="list-style-type: none"> • Robust construction and easy cleaning • Manufacturer should provide brochure, warranty and installation/training if needed • Calibration/verification certificate where measurement is involved • Electrical items to have earthed cord and safety test report | 3 |
| 3 | Batteries (6 V) | Teaching-demonstration grade item <ul style="list-style-type: none"> • Robust, labeled and safe for repeated handling • Electrical parts insulated and touch-safe • Supplied with demonstration notes / rating labels • Suitable for undergraduate physiotherapy electrotherapy teaching | 2 |
| 4 | Batteries (12 V) | Teaching-demonstration grade item <ul style="list-style-type: none"> • Robust, labeled and safe for repeated handling • Electrical parts insulated and touch-safe • Supplied with demonstration notes / rating labels • Suitable for undergraduate physiotherapy electrotherapy teaching | 2 |
| 5 | Dry Cells (1.5 V, 3 V) | Digital storage oscilloscope <ul style="list-style-type: none"> • Bandwidth at least 50-100 MHz for teaching lab or better • 2 or more channels • Auto measurements, triggering modes and probe set • Calibration certificate. BIS electrical safety applicable. | 4 |
| 6 | Oscilloscope | Digital storage oscilloscope <ul style="list-style-type: none"> • Bandwidth at least 50-100 MHz for | 2 |

Phuath: Hoi



| | | | |
|----|-------------------------|--|---|
| | | teaching lab or better <ul style="list-style-type: none">• 2 or more channels• Auto measurements, triggering modes and probe set• Calibration certificate. BIS electrical safety applicable. | |
| 7 | Voltaic Cell | Teaching demonstration grade item <ul style="list-style-type: none">• Robust, labelled and safe for repeated handling• Electrical parts insulated and touch-safe• Supplied with demonstration notes / rating labels• Suitable for undergraduate physiotherapy electrotherapy teaching | 2 |
| 8 | Daniel cell | Teaching demonstration grade item <ul style="list-style-type: none">• Robust, labelled and safe for repeated handling• Electrical parts insulated and touch-safe• Supplied with demonstration notes / rating labels• Suitable for undergraduate physiotherapy electrotherapy teaching | 2 |
| 9 | Lechlanche Cell | Teaching demonstration grade item <ul style="list-style-type: none">• Robust, labelled and safe for repeated handling• Electrical parts insulated and touch-safe• Supplied with demonstration notes / rating labels• Suitable for undergraduate physiotherapy electrotherapy teaching | 2 |
| 10 | Lead Acid Accumulator | Hospital/teaching grade product suitable for undergraduate physiotherapy lab <ul style="list-style-type: none">• Robust construction and easy cleaning• Manufacturer should provide brochure, warranty and installation/training• Calibration/verification certificate where measurement is involved | 2 |
| 11 | Edison Cell | Teaching demonstration grade item <ul style="list-style-type: none">• Robust, labelled and safe for repeated handling• Electrical parts insulated and touch-safe• Supplied with demonstration notes / rating labels | 2 |
| 12 | Transformer (Step down) | Teaching demonstration grade item <ul style="list-style-type: none">• Robust, labelled and safe for repeated handling• Electrical parts insulated and touch-safe• Supplied with demonstration notes / rating labels | 4 |

[Handwritten signature]
[Handwritten signature] *[Handwritten signature]* *[Handwritten signature]*



| | | | |
|----|----------------------------------|--|---|
| 13 | Transformer (Step up) | Teaching demonstration grade item • Robust, labelled and safe for repeated handling • Electrical parts insulated and touch-safe • Supplied with demonstration notes / rating labels | 4 |
| 14 | Dynamo model AC/DC | Teaching demonstration grade item • Robust, labelled and safe for repeated handling • Electrical parts insulated and touch-safe • Supplied with demonstration notes / rating labels | 4 |
| 15 | Safety devices (Fuses- 5A, 15 A) | Teaching demonstration grade item • Robust, labelled and safe for repeated handling • Electrical parts insulated and touch-safe • Supplied with demonstration notes / rating labels | 6 |
| 16 | Magnetic needle | Teaching demonstration grade item • Robust, labelled and safe for repeated handling • Electrical parts insulated and touch-safe • Supplied with demonstration notes / rating labels | 4 |
| 17 | Bar magnet | Teaching demonstration grade item • Robust, labelled and safe for repeated handling • Electrical parts insulated and touch-safe • Supplied with demonstration notes / rating labels | 6 |
| 18 | Electromagnet | Teaching demonstration grade item • Robust, labelled and safe for repeated handling • Electrical parts insulated and touch-safe • Supplied with demonstration notes / rating labels | 6 |

ELECTROTHERAPY LAB

| Sr.No. | Name of Equipment | Technical Specifications | No. of units |
|--------|-----------------------------|--|--------------|
| 1 | Hydrocollator Hot Pack Unit | Provides moist heat therapy to relax muscles and relieve pain. • Tank Capacity: 13-25 litres • Material: Stainless steel with double insulation • Temperature Range: 60°C to 78°C • Power Supply: 220V AC, 45 -55 Hz • Heating Element: Rust-resistant, high-efficiency element • Mobility: Equipped with wheels for portability | 1 |



| | | | |
|---|---------------------|--|---|
| | | <ul style="list-style-type: none"> • Construction : Unit's outer body made of 22gauge & inner chamber of 20 gauge S.S.Sheet double walled, well insulated. • Dimensions : Over all, approx.38 x 30x 45cm high. • Heat Control : Thermostat to control Temperature from 30 to 110 deg.Cen. with 2 Pilot Lamps. • Heater: 1kw.specifically designed Heater. • Hot Packs: 4, standard size 25cm x 30cm steam packs containing special heat retaining silica gel crystals. • Finish : Polished finish. • Multiple hot packs of various sizes, Drain valve • Two forceps to get-out Hot-packs from hot water & Power Pin Plug. | |
| 2 | Paraffin Wax Bath | <p>Provides thermotherapy for pain relief and joint stiffness reduction.</p> <ul style="list-style-type: none"> • Capacity: 3-15 kg paraffin wax • Material: Stainless steel inner tank with insulated outer casing • Temperature Control: Adjustable thermostat (50°C to 70°C) • Power Supply: 220V AC, 45 -55 Hz • Safety Features: Overheat protection with automatic shut-off • Construction: Double walled body, well insulated. Wax tank of 20-gauge Stainless steel sheet. Fitted with laminated wooden rim & anodized Aluminum cover." • Heaters:Two, 1kw each, special wax Heaters. • Heat Control: Thermostat to control tempreture from 00 to 85 deg.Cen. • Indicator Lamps: Two, for Mains & Thermostat." • Size: Overall Size of Wax Bath, 27" x 18" x 15". • Mounting: Mounted on 5cm dia. Four casters. • Finish: Externally Powder Coated finish. • Paraffin wax blocks, Lid cover, Thermal mitts • 6 Kg. Physio Wax, Power Plug, One brush for wax application, One Mug, One spatula & aluminium sheet mesh for heaters | 1 |
| 3 | Microwave Diathermy | Diathermy is a therapeutic treatment that uses electric currents (radio and sound waves) to generate heat in layers of your | 1 |

Handwritten signatures and initials in blue ink.

| | | | |
|---|----------------------------------|---|---|
| | | <p>skin below the surface. • Output:</p> <ul style="list-style-type: none"> • Continuous, maximum: 500 watts. • Intensity: Adjustable, in 5 steps for smooth output. • Electrodes: One pair Condenser pads with felt spacer & cover. Size: 13 -16cm x 23 - 27cm. • Tuning: Manual, with tuning control knob. • Timer: Programmable Digital, 01 to 40 minutes timer with Auto cut. • Intensity Display: Analogue Meter display. • Frequency: 27.12MHz. * Wave Length; 10 - 13 meters. • Cooling: With 10cm Dia. instrumental fan. • Transformer: Unit is fitted with Copper wire transformer. • Voltage: 220 250 V. AC. 40 -70Hz. • Unit fitted with cooling fan • RF power source Vacuum generating valve • Pulse Mode : Output 1000 W, Continuous 500 W With step up meter for control of valve evoltage • Fitted on four wheel for movement • With display meter. • Standard accessories: Pad Electrodes & Disc Electrodes High power medical diathermy incorporating a high power Transmitting oscillator valve and solid state rectifier • One, Power Main cable. • Spare Fuses. • One, Shortwave Test Tube. • Two, Velcro Strap to tie/hold condenser pads with the body. • One, 4KVA, automatic voltage stabilizer. | |
| 4 | Diagnostic Electrical Stimulator | <ul style="list-style-type: none"> • Provides precise stimulation for diagnostic applications, including plotting Strength-Duration (SD) curves. • Frequency Range: 0.1 Hz to 300 Hz (adjustable). • Output Current: 0-100 mA with precision adjustment. • Waveforms: Rectangular, triangular, sinusoidal pulses, and user-defined patterns. • Timer: Adjustable up to 90 minutes with automatic shutoff. • Display: Digital high-resolution LCD with graphical representation. • Safety Features: Overload protection, short-circuit prevention, and in-built self-diagnostic system | 2 |

Handwritten signature and initials in blue ink.

| | | | |
|---|-------------------------|---|---|
| | | <ul style="list-style-type: none"> • Pulse frequency range up to 50Hz • Adjustable Surge / Rest Time. • Variable pulse width. • Adjustable Intensity Levels. • Audible & visual segment display • Electrode pads (reusable and disposable). • Conductive gel (hypoallergenic. • Elastic electrode straps | |
| 5 | Interferential Therapy | <ul style="list-style-type: none"> • For pain relief and muscle stimulation using low-frequency electrical currents. • Frequency: 1 kHz to 20 kHz • Output Modes: 4-pole and 2-pole modes • Intensity Range: 0-100 mA • Display: Digital LCD for settings • Power Supply: 220V AC, 40 -60 Hz • Unique sweep programmes • Rotating Multi vector scale facility • Therapy form: 4 Pole, 4 Pole Vector, 2Pole • Base AMF; 0-150 Hz Continuously adjustable • Sweep MF; 0-100 Hz Continuously adjustable • Intensity control: 0-1000 mA • Continuously adjustable • Indicating the peak value of real patient current • With 0-30 digital timer • Electrode pads • Electrode gel • Cables | 2 |
| 6 | T.E.N.S (Four Channel) | <ul style="list-style-type: none"> • Provides transcutaneous electrical nerve stimulation for pain relief. • Channels: 4 independent channels • Intensity Range: 0-100 mA • Modes: Burst, Continuous, Modulated • Timer: Adjustable up to 60 minutes • Power Supply: Battery or AC adapter • Lightweight model / Digital Timer • Output modes: Continuous, Modulated Burst • Operating Voltage: 220V AC • Electrode pads, Battery charger | 5 |
| 7 | Ultrasound Therapy Unit | <ul style="list-style-type: none"> • For deep tissue heating to promote healing and reduce pain. • Frequency: 1 MHz and 3 MHz • Intensity Range: 0.1 W/cm² to 3 W/cm² • Modes: Continuous and pulsed • Display: Digital with real-time feedback • Applicator Size: 5 cm² and 10 cm² | 4 |

Handwritten signatures and names: Phrati, Mary

| | | | |
|---|--|--|---|
| | | <p>transducers</p> <ul style="list-style-type: none"> • Display : LCD for Operating visual indications • Input Voltage : 220v Ac/50Hz • Pulse Ratio : 1:1, 1:4, 1:7, 1:9 • Power Output : 3.0w/cm² max. • Treatment Timer : 0-99 min • Ultrasound gel, Spare transducer head | |
| 8 | Electronic Traction Unit (Cervical & Lumbar) | <ul style="list-style-type: none"> • Provides therapeutic traction for cervical and lumbar spine disorders • Therapy types: Static and intermittent Traction force • Traction Force: 3-48 kg (adjustable) • Modes: Static, intermittent • Timer: 0-100 minutes • Safety Features: Emergency stop button • Display: Digital display for force and timer • Hold time : 10,20,40,60,80 seconds. • Rest time : 1,5,10,15,20 seconds Solid state circuitry / Digital Timer (0-30 min) • Treatment mode: Static and Intermittent With PATIENT SAFETY SWITCH (REMOTE) • Traction Bed – 3 Fold: Size : 6 (L) x 2.5 (W) x (H) 3 feet • The fixed height upholstered traction table is ideal for horizontal cervical and lumbar traction. • The lumbar section rolls freely on rollers for friction free lumbar pull. • Cervical traction angle is controlled by vertical adjustment of the Machine mounting board. • Complete with flexion stool • Cervical harness, Lumbar belts | 3 |
| 9 | UVR Lamp | <ul style="list-style-type: none"> • UV lamp Infrared lamp for heating purpose in Physiotherapy units. • Cabinet Body -Stainless Steel/ Mild steel with Powder coated. • Cabinet Size - 900 mm-980mm x 600 mm-680mm x 400 mm-480mm (LxWxH) • Having low, high UV - Visible range 100nm to 400nm and 520 to 600 nm & 254 nm ,312/313 nm,365/366nm • Viewing Field -300mm-350mm x 100 mm.-120mm • Having suitable focused glass -Yes • Front site opening Shutter -Yes • Power supply to UV lamp - 220-230V • Ultra safe UV blocking cover, block 99.99% transmittance -Yes | 2 |

Handwritten signatures and initials in blue ink.

| | | | |
|----|--------------------|--|---|
| | | <ul style="list-style-type: none"> • Adjustable intensity from 100% down to 50% - Yes • Suitable Voltage Stabilizer -Yes • Additional Two Set of long, short wavelength & visible range tubes • Extra lamp and bulb | |
| 10 | IRR Lamp | <ul style="list-style-type: none"> • Infrared radiation therapy for pain relief and muscle relaxation. • Lamp Power: 230 -250 W • Wavelength: 650 nm to 1450 nm • Adjustability: Height and angle adjustable • Timer: 0-40 minutes • Stand: Stable with castor wheels • Infra-Red Bulb of 150w is fitted in a metal casing with wire guard. • Intensity Control Fitted with intensity control switch to control out-put. • Timer Automatic cut off Timer of 30 minutes. • Construction Bulbs are mounted on wide powder coated base with lockable ball bearing casters. • Placement Adjustable Arm permits wide range of adjustments in Height and Length for proper Placement of heating lamp. • Spare infrared bulbs | 2 |
| 11 | Laser Therapy Unit | <ul style="list-style-type: none"> • For treatment of pain muscle spasm and physiotherapy uses etc. • Power Input: Some units may have a power input of 100-240Vac, 50/60Hz. • Frequency: The frequency of operation can range from 2Hz to 20Hz (approx). • Treatment Time: Treatment times can be adjustable, such as 0-60 minutes. • Laser Probe: Units might include a 100mW infrared laser probe (905nm) and a 19-diode LED cluster probe. • Dimension & Weight: A typical unit might be 240 x 210 x 100mm and weigh around 1.9kg. • Operating Modes: Units may offer continuous and pulse modes of operation. • Wavelength: Some units have a wavelength of 685nm. • Power Output: Some units can have a maximum probe power of 500mw. • Pulse Duration: Pulse durations can range from 10 microseconds to 5seconds. • Repetition Rate: Repetition rates can vary from 0.2 Hz to 20 KHz. | 1 |

Handwritten signatures and text:
 [Signature] Phrati [Signature] [Signature]



| | | | |
|----|-----------------------|--|---|
| | | <ul style="list-style-type: none">• Class IV Lasers: These lasers have higher wattage and can penetrate deeper into tissues• Laser probe - 810nm – 300 mW pointed (module) 650nm – 40mW pointed (module) 650nm – 200mW cluster (diode). Case and extra probe | |
| 12 | Cryotherapy Unit | <p>Designed to reduce pain, inflammation, and swelling and promote faster recovery of joints and soft tissues. Programmable temperature range from 0°C to 25°C Precise control for different therapeutic needs. Programmable from 1 to 120 minutes. Adjustable compression levels: Low, Medium, High Helps in edema reduction and improved circulation. Adjustable in multiple steps for controlled cold delivery. Digital display showing: Temperature Treatment time Mode selection Indicator for system status and alerts. Large capacity tank for water and ice mixture Ensures long-duration therapy without frequent refill. Power Supply Operates on 190–250 V AC Frequency: 50–60 Hz</p> | 1 |
| 13 | CPM Unit (Lower Limb) | <ul style="list-style-type: none">• For increase range of motion of joint• Therapy Modes: SIX, Mobilization Modes for Continuous, Intermittent and Progressive passive movements.• ROM Setting: Programmable from 00 to 130 deg.• Pause Time: Programmable Extension/Flexion Pause from 00 to 100 seconds.• Treatment Time: Programmable from 01 to 100 min.• Speed: Adjustable in Four Steps.• Inching Switch: Starting angle can be set According to the needs of the patient.• Memory/Programme: 30 Treatment Protocols can be Programmed & stored in memory.• Displays: Digital display of ROM settings Pause Time, Treatment Time and Graphic display of Mobilization modes.• Patient Safety: Patient Stop/interrupt | 1 |

Handwritten signatures and initials in blue ink.



| | | | |
|----|-----------------------|---|---|
| | | <p>treatment with handheld switch.</p> <ul style="list-style-type: none"> • Power Supply: 190 250 V AC at 45 -55Hz. • case | |
| 14 | CPM Unit (Upper Limb) | <ul style="list-style-type: none"> • For increase range of motion of joint. • Therapy Modes: SIX, Mobilization Modes for Continuous, Intermittent and Progressive passive movements. • ROM Setting : Programmable from 00 to 130deg for Elbow movements.80 to + 80 for Wrist movements. • Pause Time: Programmable Extension/Flexion Pauses from 00 to 100 seconds. • Treatment Time: Programmable from 01 to 100 min. • Speed: Adjustable in Four Steps, from 0.5 degree to 4.0 degree per second. • Inching Switch: Flexion or Extension starting position can be set according to the needs of the patient. • Memory/Programme: 80 Pre set treatment patterns are stored in memory. • Open Programmes: 20 programmes are Free to store your own patterns. • Displays: Digital display of ROM settings Pause Time, Treatment Time and Graphic display of Mobilization modes. • Height Adjustment: Electrically, by Push button switches. • Arm Settings: Right or Left arm can be set & exercised by little adjustments. • Patient Safety: Patient can stop / Interrupt treatment with a hand held switch. • Power Supply: 190- 250 V AC at 40 70 Hz. • case | 1 |

Exercise Therapy Lab

| Sr. No. | Name of Equipment | Technical Specifications | No. of units |
|---------|-------------------|--|--------------|
| 1 | Parallel Bars | <ul style="list-style-type: none"> • Length: 7-11 ft • Width Adjustment: Up to 2- 4 ft • Height Adjustment: 22-38 inches • Material: Stainless steel frame with non-slip handrails • Mirror Dimensions: 5 -7 ft x 2-4 ft, shatterproof glass • Height and width adjustable; Hand rails and uprights are made of painted iron tubing. • Mounted on long wooden platform with | 2 |

[Handwritten signatures]

| | | | |
|---|----------------------|--|---|
| | | <p>inclination on both the sides and covered with non-slip matting Height and width adjustment can be easily made by settings. Comes with detachable wooden abduction.</p> <ul style="list-style-type: none"> • Adjustable height and width mechanism • Non-slip base/platform • Full-length mirror panel • Support rails • Anti-corrosion coating. | |
| 2 | Wall Ladder | <ul style="list-style-type: none"> • Material: Wood (e.g., Melix pinewood, beechwood) or plastic are common choices. • Dimensions: Height, width, and depth are key specifications, with sizes ranging from 6 feet to 7 feet. • Rung Spacing: The distance between rungs is important for comfortable and safe use. • Mounting: Typically fixed to the wall with bolts or other secure hardware. • Usage: Used for exercises like shoulder abduction, upper limb strength training, and balance training. • Types: Finger ladders, shoulder abduction ladders, and wall bars are variations of this type of equipment. • Mounting kit • Varnished wooden bars • Wall brackets • Safety cap ends • Instruction leaflet | 2 |
| 3 | Static Cycles | <ul style="list-style-type: none"> • Resistance Levels: Adjustable magnetic resistance • Display: LCD for speed, distance, and calories burned • Seat Adjustment: Horizontal and vertical adjustable • Digital display (time, distance, calories) • Adjustable seat and resistance knob • Pedal straps • Power adapter (for digital models) • User manual | 2 |
| 4 | Suspension Apparatus | <p>Physiotherapy exercise station of hospital-grade construction • Smooth motion and adjustable resistance/height • SS frame and safe rounded edges • Stable mounting/wall fixing as applicable • Easy-clean upholstery/grips. BIS standard</p> | 1 |
| 5 | Shoulder Wheel | <ul style="list-style-type: none"> • Diameter: 34 -38 inches • Resistance: Adjustable friction mechanism • Mounting: Wall-mounted with adjustable height | 2 |

[Handwritten signatures]

| | | | |
|---|-------------------|--|---|
| | | <ul style="list-style-type: none"> • Construction: 100cm diameter, tubular steel constructed Wheel is fitted with Precision machined plastic moulded drum & fitted with 127mm brake pads for resistance • Movement: Bi-directional operation for shoulder & elbow.* Mounting: Wheel is mounted on Three laminated wall boards. • Arc of Motion: Arc of motion can be varied on Stainless steel arm from 30cm to 80cm by fixing handle at the required place. • Height Adjustment: Two wall board are fitted with Two STAINLESS STEEL channels (81cm H x 6cm W) & Wheel can be raised or lowered by 50cm to suit each patient.* Resistance: Wheel is fitted with advanced Calibrated Sensitive Resistance mechanism and the resistance is controllable from Zero to Maximum. • Wall-mounting bracket • Adjustable radius arm • Resistance control knob • Marked angular scale • Handle grip | |
| 6 | T-Pulley | <ul style="list-style-type: none"> • Dimension (L*W*H) 4m(L) rope Meter (m) • Age Group Adults Elders • Material Iron • Recommended For Shoulder • Recyclable Yes • Power Source Manual • Portable Yes • Wall-mounted pulley frame • Handles/grips • Adjustable rope length • Weight attachment system • Anchoring bolts | 2 |
| 7 | Finger Ladder | <ul style="list-style-type: none"> • Material: Polished hardwood or plastic • Height: Up to 7 ft • Wall Mounting: Pre-drilled holes for secure installation. • Wall mounting screws | 2 |
| 8 | Hand Exercise Kit | <ul style="list-style-type: none"> • 7 PCS Bodylastics hand grip training kit includes • 1 x Hand Grip Strengthener, • 1 x Finger Exerciser, • 3 x Finger Stretcher Resistance Bands, • 1 x Grip Enhancing Ring, • 1 x Storage Bag. • Therapy putty • Grip rings | 2 |

Handwritten signature and text in blue ink.

| | | | |
|----|---------------------------------|---|---|
| | | <ul style="list-style-type: none"> • Finger extension bands • Pinch pegs • Storage box | |
| 9 | Multiple Exercise Chair/Machine | <ul style="list-style-type: none"> • Construction: 30mm Square tube constructed frame with weight pan assembly & storage tray. • Size: Floor area, 90 -110cm long x 65 - 68cm wide, the overhead bar extends 70 - 90cm beyond front portion of the frame. • Seat & Back: Foam padded, Back's angle can be adjusted for comfort & fitted with stabilising straps. • Overhead Pulley Blocks: Two sets, pulley blocks can be adjusted on overhead bar vertically. Pulley arms can be rotated to adjust width. • Floor Level Pulley: For Quadriceps exercises while sitting. • Single Pulley Block: For Arm exercises while standing. • Weight Plates: 5 -15 kg. • Finish: Powder coated finish frame with chrome plated overhead bar & weight carrier guide bars • Pulleys with Rope = 2 sets., • Pulley Block = 1. • Wire Handles = 2. • Arm Slings = 2. • Ankle Straps = 2. • Gripping Bar = 1. • Snap Hooks = 4. | 2 |
| 10 | Tilt Table | <ul style="list-style-type: none"> • Tilt System: Electrical operated Sealed Heavy duty system is well lubricated for life time performance, • Range of Tilt: Adjustable from 0 to 90 degree. • Table Top: 195cm long x 61cm wide x 80cm high, : Tilts on Two heavy duty Ball bearings : Fitted with Tilt angle indicator. : Fitted with 35mm thick foam padded upholstery. : Fitted with Three, wide straps to hold patient. • Base Frame: Welded frame is 75mm wide for more stability. : Made of Rectangular & 30mm square steel Tubes. : Legs fitted with 10cm dia. Lockable Castors for mobility. | 2 |

[Handwritten signature]



| | | | |
|----|--|---|---|
| | | <ul style="list-style-type: none">• Foot-Board: Foam Padded removable Footboard for easy Entry & Exit.• Utility Tray: Laminated surface for ADL activity.• Arm Supports: Tubular frame to grip for support.• Finish: Powder coated finish in light cream Colour.• Power: Maximum patient weight 120kg.• Power: 220V. AC.• Arm Support.• Work Table option.• Straps and belts (3 sets – Adult, 2 sets - Paediatric) | |
| 11 | Exercise Mat 4" Thick (6'x3') | <ul style="list-style-type: none">• (6'x 3')• It is made up of PVC• Special feature:cushiononed,• Shape: Rectangular, solid pattern, wiped with damp cotton, weight :2-3kg• case | 2 |
| 12 | Walkers (Adjustable Height with/without Casters) | <ul style="list-style-type: none">• Wheels: Four, 5" x 1" wheels for easy movement.• Height: Grip height 95cm. (Non-adjustable).• Width:Overall width 64cm.• Brake:Loop brake is ideal for slow down and permanent stop while sitting.• Weight: 8kg. approx• Construction: Aluminum tubular construction with Powder coated finish.• Height: Frame is adjustable from 79cm to 89cm by slipping spring locking pins in proper notch.• Inside Measurements: Width 50cm. X Depth 44cm.• Grips: Fitted with soft PVC hand grips.• Shoes/Tips: Four, broad based shoes.• Approx. Measurements in folded position : 81cm x 55cm x 14cm. App.• Weight: 2.5kg. Height adjustment buttons• Foldable frame• Rubber ferrules (anti-slip)• Wheels (optional front wheels)• Foam hand grips | 1 |
| 13 | Elbow Crutches | <ul style="list-style-type: none">• High quality aluminium alloy tube though light in weight it is very sturdy and strong to withstand load and stresses.With a push button• length can be adjusted telescopically• Rubber tip molded from special non | 2 |

Handwritten signatures and initials in blue ink.



| | | | |
|----|---------------------------|---|---|
| | | <p>marking type of rubber, conforming to Indian standards.</p> <ul style="list-style-type: none"> • Dimension (Size I): Height from hand piece to ground: 450 - 470 mm (min); 650- 670 mm (max) • Height from hand piece to arm cuff: 160 - 170 mm (min); 200 - 230 mm (max) • Weight: 450 - 550 gms (approx.) <p>Accessories & Components</p> <ul style="list-style-type: none"> • Cuff and handle support • Adjustable height settings • Rubber tips • Lightweight aluminum frame • User guide | |
| 14 | Axillary Crutches | <ul style="list-style-type: none"> • Material: Aluminum frame with padded armrests • Height Adjustment: Universal adjustable height • Grip: Non-slip rubber tips • Accessories: Spare rubber tip • Adjustable for height. • Materials used: Wooden Plastic Metal • Sizes: Tall adult Adult Pediatric 4-10yr • Maximum weight of crutch 1.6 – 2.0kg depending crutch size and materials used • Made of wood or aluminum - For wooden axilla crutches, high strength laminated timber is required. High density rubber horizontal bar, cushioned, fitting under the axilla • Handgrip - high density rubber/ plastic covered handle, pistol grip or round. • Adjustable height buttons • Rubber tips (anti-slip) • Foam underarm and hand grips • Size chart • Instruction leaflet | 2 |
| 15 | Walking Sticks | <ul style="list-style-type: none"> • Material: Aluminum or lightweight alloy • Height Adjustment: Adjustable with locking mechanism • Grip: Ergonomic handle with non-slip rubber tip. • Ergonomic hand grip • Rubber tip base • Adjustable height lock | 2 |
| 16 | Wheel Chairs - Adult Size | <ul style="list-style-type: none"> • Frame: Strong tubular frame of 22mm dia. tube. Side frames folds easily on central tube hinge. • Seat & Back: 45cm wide, folding & washable. | 1 |

Handwritten signature and name: "Handwritten Signature" and "Handwritten Name" in blue ink.



| | | | |
|----|--------------------------------|---|---|
| | | <ul style="list-style-type: none"> • Seat height from floor 51 52cm. • Back: Reclining back with extra long Head support for comfortable positioning. • Armrest: Detachable Arm rests (for easy transfer with Skirt Guard & Arm Supports. • Leg rest: Detachable, Elevating and Swing away Leg rests with Leg supports. • Front Wheel: 20cm dia. Casters with solid tyres. • Rear Wheel: 60cm dia. with solid Tyres. • Push Rims: Rear wheels are fitted with Push rims. • Brake: Forward Push safety/parking Brakes. • Finish: Chrome plated finish. • Load Capacity: 100 kgs • The Elevating, Detachable and Swing away Leg Rests with large Leg supports allows comfortable positioning of the patient and detachable Armrests allows easy transfer from bed. • Rear wheels are fitted with self-propelling rings & forward push safety / parking brakes. • Footrests • Armrests (removable or swing-away) • Seat cushion • Safety belt • Folding frame • Footrests • Armrests (removable or swing-away) • Seat cushion • Safety belt • Folding fram | |
| 17 | Wheel Chairs - Paediatric Size | <ul style="list-style-type: none"> • Seat Width- Rigid: 10" to 18" / Folding: 10" to 16" • Weight Capacity 225 lbs • Armrest Available in Fixed & Detachable • Automation Grade Manual • Backrest Height 16" to 25" • Seat Depth 10" to 18" • Folding Yes • Chair Weight - Rigid: 32 lbs / Folding: 35.8 lbs • Overall Width 17.5" to 25.5". • Footrests • Armrests (removable or swing-away) • Seat cushion • Safety belt • Folding frame | 2 |

Handwritten signatures and initials in blue ink.



| | | | |
|----|---|---|---|
| 18 | Medicine Balls (1kg-5kg) | <ul style="list-style-type: none">• Balls are created using premium rubber for supreme strength & durability• Textured rubber exterior provides exceptional grip even when balls are wet• Low bounce balls are suitable for range of throwing, balance, core & power exercises• Balls are easy to wipe to ensure excellent hygiene is always maintained• An excellent choice for gyms & home workouts Accessories & Components <ul style="list-style-type: none">• Textured grip surface• Color-coded weight indicators• Storage rack (optional)• Air valve/pump (if inflatable) | 2 |
| 19 | Dumbbells (0.5kg-5kg) | <ul style="list-style-type: none">• The non-slip handles are both comfortable and allow you to feel safe and worry-free during your workout. The ergonomic design handle allows a better grip so you can improve your coordination and avoid injuries or accidents.• Material stainless steel weight and rubber grip Accessories & Components <ul style="list-style-type: none">• Neoprene or vinyl coating• Rack or tray (optional)• Color-coded for weight• Anti-roll design• Instruction chart | 2 |
| 20 | Quadriceps Table | <ul style="list-style-type: none">• Product Size: 106*105*116 cm• Cushion height: 66cm• Armrest height: 60cm• Range of lifting frame: 0-20cm• Range of shank cushion : 0-47cm• Angle range: $\geq 120^\circ$• Related Loading: 180 Kg• Weight: 60 Kg Accessories & Components <ul style="list-style-type: none">• Adjustable resistance weights• Adjustable lever arm and backrest• Velcro straps for leg fixation• Rotating knee pad• User manual | 1 |
| 21 | Self Exercising Equipment (Peripheral Joints) | <ul style="list-style-type: none">• Modular design targeting individual peripheral joints (e.g., wrist rotator, finger exerciser, ankle dorsiflexion board)• Constructed with durable, medical-grade powder-coated steel and aluminum components• Adjustable resistance through spring | 1 |

| | | | |
|----|----------------------------|---|---|
| | | <p>tension or mechanical knobs</p> <ul style="list-style-type: none"> • Ergonomic grips and cushioned supports for comfort and safety • Suitable for both upper and lower limb exercises • Compact and portable design for use in clinical and home settings • Easy-to-clean and non-slip base platform. • Set of interchangeable modules (e.g., wrist roller, shoulder pulley, hand grip trainer, foot rocker) • Resistance bands and tension springs • Mounting brackets and safety straps | |
| 22 | Swiss Balls & Bolsters | <ul style="list-style-type: none"> • Sizes: • Swiss Balls: 43 -50 cm, 50 -65 cm, 65 -70 cm, and 70 -80 cm • Bolsters: Various lengths and diameters • Material: Anti-burst PVC • Weight Capacity: Up to 250 kg • Air pump | 3 |
| 23 | Trampoline (Various Sizes) | <ul style="list-style-type: none"> • Frame size: 4.25 -4.35 m, galvanized • Jump area size: 3.55 - 3.65 m • Bed: Woven Permatron fabric • Frame height: 85 -90 cm • Safety pad (included): thick vinyl fabric cover filled with closed-cell foam. Covers the springs completely, 38 cm wide and 2.5 cm thick closed cell foam / 0.6mm PVC. • Top frame: 48mm x 1.9mm steel galvanized in/out • Base & leg: 42mm x 1.9mm steel galvanized in/out • Springs: 96 pieces, galvanized and tapered • Suitable for: Intensive use • Recommended weight restriction: 145 - 160kgs • Pro-line 12ft trampoline The Pro-Line 12 trampoline, is a robust and well finished trampoline with a diameter of 3.6 meter. Highly suitable for children as well as adults. The long springs give this trampoline an excellent bounce. The safety pad fully covers the springs ensuring optimal safety. A trampoline that will give you lots of jumping pleasure for many years to come. Accessories & Components • Safety net (for large sizes) • Padded spring cover • Foldable legs | 1 |

Shruti Jay

| | | | |
|----|---------------------------------|---|---|
| | | <ul style="list-style-type: none"> • Carry bag (portable models) • Assembly tool kit | |
| 24 | Weight Cuffs | <ul style="list-style-type: none"> • Item Weight 1/2kg to 3 Kilograms • Closure Type Hook, Loop • Recommended Uses For Product Exercise, Jogging, Fitness • Specific Uses For Product Rehabilitation, Fitness, Jogging, Strength Training Accessories & Components • case | 3 |
| 25 | Balance Board (Adult) | <ul style="list-style-type: none"> • Material: High-impact ABS plastic or durable wood composite • Non-slip surface for safety during use • Base type: Rounded or semi-spherical for 360° tilting motion • Maximum load capacity: 100–150 kg (adult), • Diameter: Adult board 40–50 cm; • Lightweight and portable design • Surface texture ensures secure foot placement. • Optional resistance bands or handles • Anti-skid floor pads • Instruction manual with exercise guidelines • Storage pouch (optional for Adult version version) | 2 |
| 25 | Balance Board (Paediatric) | <ul style="list-style-type: none"> • Material: High-impact ABS plastic or durable wood composite • Non-slip surface for safety during use • Base type: Rounded or semi-spherical for 360° tilting motion • Maximum load capacity: 40–60 kg (paediatric) • Diameter: Paediatric board 25–35 cm • Lightweight and portable design • Surface texture ensures secure foot placement. • Optional resistance bands or handles • Anti-skid floor pads • Instruction manual with exercise guidelines • Storage pouch for paediatric version | 2 |
| 26 | Goniometers (360, 180 & Finger) | Transparent medical goniometers: 180°, 360° and finger type • Laser-engraved or durable degree markings • Smooth rivet center and clear arms • Clinical accuracy and easy cleaning • Pack of assorted sizes. BIS | 6 |

[Handwritten Signature]

[Handwritten Signature] M-51 Page

| | | | |
|----|-------------------|---|---|
| | | list includes IS 12683 Part 3 for goniometer for visually impaired persons only | |
| 27 | Treatment Couches | <ul style="list-style-type: none"> Hospital-grade treatment couch/chair Heavy-duty steel frame and high-density foam Easy-clean antimicrobial upholstery Stable load bearing and levellers/casters as appropriate Rounded corners and seamless finish. IS 13450/IEC 60601-1 BIS standard | 6 |
| 28 | Standing Frame | <ul style="list-style-type: none"> Frame is made out of best quality teak wood and is fitted with a laminated top tray. Three straps are provided for heel, ankle and pelvic support Adjustable support belts Footplates Tray table (optional) Tilt mechanism Safety lock pins | 2 |
| 29 | CP Chairs | <ul style="list-style-type: none"> Standard stainless steel tubes. Dimension: Length: 760 ± 50 mm Width: 635 ± 50 mm Height: 1075 ± 50 mm Should have 4 castor wheel allowing mobility. Seat should have accompanying food tray. Size of seating system customize design for age from 2 – 6yrs of children Adjustable headrest and footrest Safety harness Tilt-in-space mechanism Removable tray Lockable wheels | 2 |
| 30 | Wedges | <ul style="list-style-type: none"> 36 inches Length x 24 inches breadth x 8 inches Height, 36 inches Length x 24 inches breadth x 12 inches Height, 36 inches Length x 24 inches breadth x 15 inches Height Foam core Vinyl cover (washable) Non-slip base Size variations Carry handle | 2 |
| 31 | Peg Boards | <ul style="list-style-type: none"> Material alloy steel Shape Rectangular No need to drill, hammer again & again Organising items as per different requirements, Portable, can be removed & taken to other place | 3 |

Handwritten signatures and initials in blue ink.



| | | | |
|--|--|--|--|
| | | <ul style="list-style-type: none"> • The size of the board is 14 -16" X 30 -33". This is mounted with 6 screws of 8 mm each. Color Multi Colour, • 1 Box contains 16-24 pgs and one board, • , weight 800-1000gm • Multiple color-coded pegs • Wooden or plastic board • Numbered/shape peg holes (optional) • Storage container • Instructional cards | |
|--|--|--|--|

University reserved the right to enhance or mitigate the quantity without any notice.

Note:

- All the accessories (in all respect) which shall be required to run the machine/instrument/ equipment has to be supplied along with the machine/instrument/ equipment.
- All machine/instruments/equipment shall be supplied with a comprehensive warranty/guarantee of minimum **3 years** from the date of installation and commissioning.
- All machine/instruments/equipment shall conform to applicable BIS/ISI/IEC standards and other relevant statutory safety and quality norms, as applicable, and shall meet the minimum technical requirements.

OTHER REQUIREMENTS: The bidders will have to fulfil the following general requirements:

The bidder should ensure that all items will be supplied in time and as per specifications.

I have also enclosed all relevant documents in support of my claims, (as above) in the following pages.

Signature of Bidder

Name:

Designation:

Organization Name:

Contact No.:

[Handwritten signatures in blue ink]



<< Organization Letter Head >>

Technical Specification and Compliance Sheet

Bid Criterion: The purpose of buying the tools is for the proper education and training of students & make them employable in Industry. Hence the tools availability & reliability should be in high order with the latest version. To ensure flawless service back up and 100% tools availability without any downtime is necessary.

1. The offered tools Model must be working in India, without any Problems.
2. The Bidder should provide relevant manuals both hard and soft copy.
3. The warranty period shall be (as stated at "Schedule "of this tender) from date of successful/satisfactory inspection report and acceptance of the equipment/material/goods by the SVSU for each item/system on comprehensive basis.
4. Warranty period of the product is required to be minimum of **3 Years**.

Performance Security:

- 11.1 Performance Bank Guarantee is mandatory.
- 11.2 The Successful Bidder shall require to submit the performance security/Guarantee for 02% of total amount in the form of irrevocable bank guarantee issued by any Indian Nationalized Bank for an amount mentioned within 21 days from the date of receipt of work order/purchase order and should be kept valid for a period of 180 days beyond the date of completion of contract period. The Performance security in other form viz., FD/Term Deposit Receipt etc. shall not be accepted.
- 11.3 The Successful Bidder should submit performance security/Guarantee as prescribed above to be received in the office of Purchase branch svsu.
- 11.4 The Performance Bank Guarantee should be established in favour of The Registrar Shri Vishwakarma Skill University, Dudhola, Palwal, Haryana 121102," through any Bank situated at palwal or outstation with a clause to enforced the same on their local branch at Palwal. Performance Bank Guarantee shall be for the due and faithfully performance of the contract and shall remain binding, notwithstanding such variations, alterations for extensions of time as may be made, given, conceded or agreed to between the successful Bidder and the Lessee under the terms and conditions of acceptance to tender.
- 11.5 If the lessor fails to submit the performance security within 21 days from the date of receipt of work order/purchase order and if there is delay in submission of performance security, purchase order may be cancelled. The competent authority may accept the performance security after the above- mentioned deadline of 21 days subject to submission of justification by the Bidder, however the decision of the competent authority is final in this regard.
- 11.6 The successful Bidder is entirely responsible for due performance of the contract in all respects according to the speed, intent and meaning of the



terms and conditions and specification and all other documents referred to in the acceptance of tender.

12 Resolution of Disputes: The dispute resolution mechanism would be as follows:

12.1 In case of Dispute or difference arising between the buyer and seller relating to any matter arising out of or connected with this agreement, such disputes or difference shall be settled in accordance with the Indian Arbitration & Conciliation Act, 1996, the rules there under and any statutory modifications or re-enactments thereof shall apply to the arbitration proceedings. The dispute shall be referred to the Vice Chancellor, Shri Vishwakarma Skill University and if he is unable or unwilling to act, the sole arbitration is appointed with mutual consent of both parties. The award of the arbitrator so appointed shall be final, conclusive and binding on all parties to this order.

12.2 In the case of a dispute between the lessee and a Foreign Lessor, the dispute shall be settled by arbitration in accordance with provision of sub- clause (i) above. But if this is not acceptable to the lessor then the dispute shall be settled in accordance with provisions of UNCITRAL (United Nations Commission on International Trade Law) Arbitration Rules.

12.3 The venue of the arbitration proceeding shall be Palwal, Haryana.

13. The tools should be complete in all respect but not limitation to following.

[Faint, illegible text from bleed-through of the reverse side of the page]

[Handwritten signatures in blue ink]



**<< Organization Letter Head >>
BID SUBMISSION**

Online Bid Submission:

Online system shall be followed, i.e.

- (i) Please note that in any case if price-bid/Financial Offer submitted manually then bid shall not be accepted.
- (ii) Only those proposals will be considered for opening, who have submitted their BID online by due date/time (as specified in Bid Data Sheet).

The Online bid completes in all respect. The following checklist is for the convenience of the bidders. Kindly check the following points before submitting the bids.

| Sr. No. | Content | Document Submitted (Yes/No) | Page Number as per numbering given to the technical bid documents uploaded on the portal (If Applicable) |
|---------|--|-----------------------------|--|
| 1. | All pages of the proposal have been properly numbered and signed with seal of firm by bidder/authorized signatory person only. Unattested documents will not be entertained. | | ----- |
| 2. | Have submitted the Scanned copy (PDF format) of the technical proposals on e-Procurement Portal? | | ----- |
| 3. | Have submitted EMD and TENDER+ E-Service charges on e-Procurement Portal? | | ----- |
| 4. | Have you checked the eligibility Criteria and Submitted the relevant documents as proof on e-Procurement Portal? | | ----- |
| 5. | Have submitted the Company PAN, GST, Registration & associated Documents etc. on e-Procurement Portal? | | |
| 6. | Have submitted the authority letter for signing the proposal on behalf bidder on e-Procurement Portal? | | |
| 7. | Have submitted the authority letter for use of digital signature on e-Procurement Portal? | | |
| 8. | Have submitted the latest audited Balance Sheet, Profit and Loss statement, Turnover Sheet and Income Tax Return Acknowledgement Copy of the same for financial eligibility. | | |
| 9. | Have submitted the Terms and Condition as per Annexure - I | | |
| 10. | Have submitted the Technical Specification and Compliance Sheet as per Annexure-II | | |

[Handwritten signatures]



| Sr. No. | Content | Document Submitted (Yes/No) | Page Number as per numbering given to the technical bid documents uploaded on the portal (If Applicable) |
|---------|--|-----------------------------|--|
| 11. | Have submitted the Details of Bid Submission as per Annexure - III | | |
| 12. | Have submitted the Affidavit regarding Authenticity and correctness of information/documents as per Annexure - X | | |
| 13. | Have submitted the Affidavit regarding delisting/blacklisting, demobilization etc. as per Annexure - XI | | |
| 14. | Have submitted the Affidavit and relevant certificate/document (Annexure - A and B/C/ B&C both) regarding seeking benefits/concessions by Haryana based manufacturing Micro, Small and Medium Enterprises (MSEs) and Startups/First Generation Entrepreneurs as per Annexure - XIII/XIV/XV | | |
| 15. | Have submitted the Certificate for Model Clause for Land Border Sharing Countries with India as per Annexure - XVI | | |
| 16. | Have submitted the Organization Declaration Sheet as per Annexure - IV | | |
| 17. | Have submitted the Technical supporting documents (Detailed literature/catalogue of the quoted instrument and accessories) in support of all claims made at Annexure-II | | |
| 18. | Have submitted the TENDER corrigendum (if any) has been signed by bidder/authorized signatory and submitted on e-Procurement Portal? | | |
| 19. | Have submitted the Notice Inviting Tenders and Instructions to Bidders with sign and seal of bidder/authorized signatory? | | |
| 20. | Have submitted the financial bid itemwise. | | |

The bidders may submit their complete bids (with all the requisite documents) in multiple files with their respective file name as mentioned below however **each file size should be upto 20 MB**. Each document name should be written as "**Firm Name_File Name**".

The documents submitted by the bidder should be in readable view otherwise unreadable documents will not be considered.



| Sr. No. | Content | File Name | Document Uploaded (Yes/No) |
|---------|--|-----------------------|----------------------------|
| 1. | Company PAN, GST, TAN etc. Authority letter for signing the proposal and use of digital signature | Firm_Details | |
| 2. | Audited latest Balance Sheet, Profit and Loss statement, Turnover Sheet and ITR Acknowledgement Copy | Financial_Details | |
| 3. | Documents as per Annexure - I and III | Terms_and_Conditions | |
| 4. | List of Organizations and minimum two performance reports with proof as per Annexure - V | Experience | |
| 5. | Documents as per Annexure - II, IV | Technical | |
| 6. | Technical supporting documents in support of all claims made at Annexure-II | Technical_Details | |
| 7. | Self-Attested corrigendum (if any), Affidavits, Land Border Sharing Certificate and Other Documents | Affidavits_and_Others | |

(Signature with Seal of the Bidder)

Name:

Designation:

Organization Name:

Contact No.:

[Handwritten Signature]



<<Organization Letter Head >>
DECLARATION SHEET

I/We, _____ hereby declare that all the information and statements made in this Proposal are true and accept that any misleading information contained in it may lead to our disqualification. I have gone through the specifications, conditions and stipulations in details and agree to comply with the requirements and intent of specification.

We further certify that our organization meets all the conditions of eligibility criteria laid down in this tender document.

I/We, further specifically certify that our organization has not been Black Listed/De Listed or put to any Holiday by any Institutional Agency/ Govt. Department/ Public Sector Undertaking in the last three years.

| | |
|--|--|
| Name & Address of the Bidder | |
| Bidder Category: Manufacturer/authorized dealer/distributors/agent | |
| Phone | |
| E-mail ID | |
| Contact Person Name | |
| Contact Person Mobile Number | |
| Contact Person E-mail ID | |
| GST Number | |
| PAN Number | |

(Signature with Seal of the Bidder)

Name:

Designation:

Organization Name:

Contact No.:

[Handwritten signatures and stamps]



FORMAT FOR PERFORMANCE BANK GUARANTEE

(To be typed on Non-judicial stamp paper of the value of Indian Rupees of One Hundred) (TO BE ESTABLISHED THROUGH ANY OF THE NATIONAL BANKS (WHETHER SITUATED AT PALWAL OR OUTSTATION) WITH A CLAUSE TO ENFORCE THE SAME ON THEIR LOCAL BRANCH AT PALWAL OR ANY SCHEDULED BANK (OTHER THAN NATIONALISED BANK) SITUATED AT PALWAL. BONDS ISSUED BY CO-OPERATIVE BANKS ARE NOT ACCEPTED.)

To,
The Registrar,
Shri Vishwakarma Skill University, Dudhola,
Palwal, Haryana, India

LETTER OF GUARANTEE

WHEREAS Shri Vishwakarma Skill University, Dudhola, Palwal, Haryana (Buyer) have invited Tenders vide

Tender No.: dated:

For purchase of

and whereas the said tender document requires that any eligible successful Bidder (seller) wishing to supply the tools/machinery etc. in response thereto shall establish an irrevocable Performance Guarantee Bond in favour of "Shri Vishwakarma Skill University" in the form of Bank Guarantee for Rupeesand valid till from the date of issue of Performance Bank Guarantee that may be submitted within 21 days from the date of receipt of work order/purchase order and should be kept valid for a period of 180 days beyond the date of completion of warranty period.

NOW THIS BANK HEREBY GUARANTEES that in the event of the said Bidder (seller) failing to abide by any of the conditions referred in tender document / purchase order / performance of the tools/ machinery, etc. this bank shall pay to Shri Vishwakarma Skill University, DUDHOLA, PALWAL, HARYANA on demand and without protest or demur Rupees

This bank further agrees that the decision of Shri Vishwakarma Skill University (Buyer) as to whether the said Bidder (Seller) has committed a breach of any of the conditions referred in tender document / purchase order shall be final and binding.

We,..... (name of the bank & branch) hereby further agree that the guarantee herein contained shall not be affected by any change in the constitution of the Bidder (Seller) and/ or Shri Vishwakarma Skill University (Buyer).

Notwithstanding anything contained herein:

- 1. Our liability under this Bank Guarantee shall not exceed Rupees. (Indian Rupees only).

[Handwritten signatures in blue ink]



2. This Bank Guarantee shall be valid up to (date).

3. We are liable to pay the guaranteed amount or any part thereof under this bank guarantee only and only if Institute serve upon us a written claim or demand on or before(date).

This Bank further agrees that the claims if any, against this Bank Guarantee shall be enforceable at our branch office at situated at (Address of local branch).

Yours truly,

Signature and seal of the guarantor:

Name of Bank:

Address:

Date:

Instruction to Bank: Bank should note that on expiry of Guarantee Period, the Original Guarantee will not be returned to the Bank. Bank is requested to take appropriate necessary action on or after expiry of bond period.

Handwritten signatures in blue ink: 'Shel', 'Phrati', and 'Mony'.



Affidavit regarding Authenticity and correctness of information/documents

||SPECIMEN AFFIDAVIT||

(On Non Judicial Stamp of Rs. 10/-)

In response to the Tender No. for
(Name of the Tender) dated..... for quoting against the Tender as an
owner/Director/Proprietor of M/s.....

I/we who is/are (status in the
firm/company) and competent for submissions of the affidavit on behalf of M/S
..... (Organization/Manufacturer/authorized
dealer/distributors/agent) do hereby solemnly affirm an oath and state that:

I/we am/are fully satisfied for the correctness of the certificates/records submitted in
support of the following information in bid documents which are being submitted in
response to notice inviting e-tender No.

We also agreed to buyer for Integrity Pact terms and conditions as applicable from
time to time as per government rules.

I/we am/are fully responsible for the correctness of following self-certified
Information/ documents and certificates:

1. That the self-certified information given in the bid document is fully true and authentic.
2. That:
 1. Information regarding financial qualification and annual turnover is correct.
 2. Information regarding various technical qualifications is correct.
 3. Information regarding various relevant documents is correct and authentic.

Dated

Signature with Seal of the Deponent (Bidder)

I/we, _____ above deponent do hereby certify that the facts
mentioned in above are correct to the best of my knowledge and belief, nothing has
been concealed there in.

Dated

Signature with Seal of the Deponent (Bidder)

Note: Affidavit duly notarized in original shall submit in the Office of Shri Vishwakarma Skill University, Dudhola, Palwal Haryana on Technical Presentation day/date.

(Handwritten signatures in blue ink)



Annexure-XI

Affidavit regarding delisting/blacklisting, demobilization etc.

||SPECIMEN AFFIDAVIT||

(On Non Judicial Stamp of Rs. 10/-)

In response to the Tender No. for
(Name of the Tender) dated..... for quoting against the Tender as an
owner/Director/Proprietor of M/s.....

I/we _____ who is/are _____ (status in the
firm/company) and competent for submissions of the affidavit on behalf of M/S
_____ (Organization/Manufacturer/authorized
dealer/distributors/agent) do hereby solemnly affirm an oath and state that:

The firm/agency should not be black-listed/de-listed/debarred/demobilized for poor
or unsatisfactory performance from any project by Govt. of India/Any other State
Govt./Haryana Govt. or its Departments/agencies etc.

Dated

Signature with Seal of the Deponent (Bidder)

I/we, _____ above deponent do hereby certify that the facts
mentioned in above are correct to the best of my knowledge and belief, nothing has
been concealed there in.

Dated

Signature with Seal of the Deponent (Bidder)

Note: Affidavit duly notarized in original shall submit in the Office of Shri
Vishwakarma Skill University, DUDHOLA, PALWAL, HARYANA on Technical
Presentation day/date.



Affidavit regarding Terms and Conditions completion of Supply of tools in running condition within stipulated time frame

||SPECIMEN AFFIDAVIT||

(On Non Judicial Stamp of Rs. 10/-)

In response to the Tender No. for
(Name of the Tender) dated..... for quoting against the Tender as an owner/Director/Proprietor of M/s.....

I/we _____ who is/are _____ (status in the firm/company) and competent for submissions of the affidavit on behalf of M/S _____ (Organization/Manufacturer/authorized dealer/distributors/agent) do hereby solemnly affirm an oath and state that:

We further certify that our organization meets all the conditions of eligibility criteria laid down in this tender document. Moreover, OEM has agreed to support on regular basis with technology / product updates and extend support for the warranty.

We hereby declare that our firm will abide to all the terms & conditions as enumerated in the Tender document and supply the tools as per Technical Specification of tools as enumerated in the tender document.

I/we further declare that if any delay is found in delivery, not fulfil the terms and conditions, not supply the items as per technical specifications and the offer is not accepted partially or fully by our firm(s) the performance security or EMD furnished as per the tender document is liable to be forfeited unconditionally and no objection of being blacklisted in these circumstances.

Dated _____ Signature with Seal of the Deponent (Bidder)

I/we, _____ above deponent do hereby certify that the facts mentioned in above are correct to the best of my knowledge and belief, nothing has been concealed there in.

Dated _____ Signature with Seal of the Deponent (Bidder)

Note: Affidavit duly notarized in original shall submit in the Office of Shri Vishwakarma Skill University, Village-Dudhola, Palwal, Haryana on Technical Presentation day/date.

[Handwritten signatures in blue ink]



Affidavit regarding Seeking benefits/concessions in Past Performance & Experience and Purchase Preference by Haryana based manufacturing Micro & Small Enterprises (MSEs)

||SPECIMEN AFFIDAVIT||

(On Non Judicial Stamp of Rs. 10/-)

In response to the Tender No. for
(Name of the Tender) dated..... for quoting against the Tender as an
owner/Director/Proprietor of M/s

I S/o.....aged residing at
..... Proprietor/Partner/Director of M/s.....
do hereby solemnly affirm and declare that: -

1. My/our above noted enterprise M/s (Name & Address) has
been issue Manufacturing Entrepreneurs Memorandum in Haryana by the District
Industries Centre under acknowledgement No.....of
dated..... (Self-certified copy of the same is attached as **Annexure 'A'**
with this affidavit) and has been issued for manufacture of the following items in
Category Micro/Small Enterprise (Please tick the either) as under: -

- I.
- II.
- III.
- IV.

2. That the quoted item(s) in the tender..... is all of the quoted items for
which my/our above noted enterprise has been issues Manufacturing Entrepreneurs
Memorandum by the Industry Department Haryana as per details at para 1 above.

3. That my/our above-mentioned manufacturing Micro/ Small Enterprises fulfils meet
all the remaining terms & conditions of the tender except turnover, past Performance
& past Experience and fulfils either or both of the below mentioned eligibility criteria:

I. That my/our above-mentioned enterprise has been issued quality certification of
ISI Mark/ISO/Ag. Mark/any other quality mark
(Please tick either of the option) by (name of GOI/
State Govt. Agency/institution authorized by GOI/ State Govt.) on
..... and the same is valid from..... to..... in respect of
item/good (give name of item/good).....mentioned in the tender (Self
Certified copy of the relevant certificate is attached as **Annexure 'B'** with this
affidavit)

OR/AND

II. That my/our above-mentioned enterprises has been registered with DGS&D, GOI/
NSIC/ Govt. of India Department/ State Govt. Department/Govt. of India Public



Sector Undertaking (PSUs) or State Government Public Sector Undertakings (PSUs) **(Please tick one of the option as above)** in respect of Name of Item/goods/work/Services (Name) as mentioned in the tender of the corresponding period of time of this tender. A self-certified copy of the same attached as **Annexure 'C'** with this affidavit.

4. That in case the purchase Order of the quoted item is issued to me/us, it will not be outsourced or subcontracted to any other firm and the entire manufacturing of the order items shall be done in house by our Enterprise based in Haryana (address mentioned as at Sr. No. 1) Further, the billing will be done from Haryana.

Dated

Signature with Seal of the Deponent (Bidder)

I/we, _____ above deponent do hereby certify that the facts mentioned in above are correct to the best of my knowledge and belief, nothing has been concealed there in.

Dated

Signature with Seal of the Deponent (Bidder)

Note: Affidavit duly notarized in original shall submit in the Office of Shri Vishwakarma Skill University, DUDHOLA, PALWAL, HARYANA on Technical Presentation day/date.

[Handwritten signatures in blue ink]



Affidavit regarding Seeking benefits/ concessions in past performance & Experience and Purchase Preference by Haryana based manufacturing Medium Enterprises

||SPECIMEN AFFIDAVIT||

(On Non Judicial Stamp of Rs. 10/-)

In response to the Tender No. for..... (Name of the Tender) dated..... for quoting against the Tender as an owner/Director/Proprietor of M/s

I S/o.....aged residing at Proprietor/Partner/Director of M/s..... do hereby solemnly affirm and declare that: -

1. My/our above noted enterprise M/s..... (Name & Address) has been issue Manufacturing Entrepreneurs Memorandum in Haryana by the District Industries Centre under acknowledgement No.....of dated..... (Self-certified copy of the same is attached as **Annexure 'A'** with this affidavit) and has been issued for manufacture of the following items in **Category Medium Enterprise** as under: -

- I.
- II.
- III.
- V.

2. That the quoted item(s) in the tenderis all of the quoted items for which my/our above noted enterprise has been issues Manufacturing Entrepreneurs Memorandum by the Industry Department Haryana as per details at para 1 above.

3. That my/our above-mentioned manufacturing Medium Enterprise meet all the remaining terms & conditions of the tender except past Performance & Past Experience.

4. That my first purchase order under this benefit/concession was issued by State Government Department/State Government Agency (name of Dept./Agency) vide P.O. No.of dated..... for the supply of (name of the items/ good/ work/ services) was successfully complied by above mentioned Enterprises. A Self certified copy of the same is attached **Annexure 'B'** with this affidavit.

5. That in case the purchase Order of the quoted item is issued to me/us, it will not be outsourced or subcontracted to any other firm and the entire manufacturing of the order item sell be done in house by our Enterprise based in Haryana (address mentioned as at Sr. No. 1). Further, the billing will be done from Haryana.

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]



6. That we agree to the condition that this benefit/ concession to the Medium Enterprises is Valid for one year from the date of getting the first supply order under State Public Procurement.

Dated

Signature with Seal of the Deponent (Bidder)

I/we, _____ above deponent do hereby certify that the facts mentioned in above are correct to the best of my knowledge and belief, nothing has been concealed there in.

Dated

Signature with Seal of the Deponent (Bidder)

Note: Affidavit duly notarized in original shall submit in the Office of Shri Vishwakarma Skill University, DUDHOLA, PALWAL, HARYANA on Technical Presentation day/date.

[Handwritten signatures in blue ink]



Affidavit regarding Seeking benefits/ concessions in past performance & Experience and Purchase Preference by Haryana based manufacturing/works/services Startups/First Generation Entrepreneurs

||SPECIMEN AFFIDAVIT||

(On Non Judicial Stamp of Rs. 10/-)

In response to the Tender No. for
(Name of the Tender) dated..... for quoting against the Tender as an owner/Director/Proprietor of M/s

I S/o.....aged residing at Proprietor/Partner/Director of M/s..... do hereby solemnly affirm and declare that: -

1. My/our above noted enterprise M/s..... (Name & Address) has been issue Manufacturing Entrepreneurs Memorandum/Udyog Aadhaar Memorandum in Haryana by the District Industries Centre.....under acknowledgement No. of dated (Self-certified copy of the same is attached as **Annexure 'A'** with this affidavit) and has been issued for manufacture of the following items in **Category Startups/First Generation Entrepreneurs** (Please tick the either) as under: -

- I.
- II.
- III.
- IV.

2. That the quoted item(s) in the tenderis all of the quoted items for which my/our above noted enterprise has been issues Manufacturing Entrepreneurs Memorandum/ Udyog Aadhaar Memorandum by the Industry Department Haryana as per details at para 1 above.

3. That my/our above-mentioned manufacturing Startups/First Generation Entrepreneurs Enterprises fulfils meet all the remaining terms & conditions of the tender except turnover, past Performance & past Experience and fulfils either or both of the below mentioned eligibility criteria:

I. That my/our above-mentioned enterprise has been issued quality certification of ISI Mark/ISO/Ag. Mark/any other quality mark **(Please tick either of the option)** by (name of GOI/ State Govt. Agency/institution authorized by GOI/ State Govt.) on and the same is valid from..... to..... in respect of item/good (give name of item/good).....mentioned in the tender (Self Certified copy of the relevant certificate is attached as **Annexure 'B'** with this affidavit)

[Handwritten signatures and text] Page



OR/AND

- II. That my/our above-mentioned enterprises has been registered with DGS&D, GOI/ NSIC/ Govt. of India Department/ State Govt. Department/Govt. of India Public Sector Undertaking (PSUs) or State Government Public Sector Undertakings (PSUs) **(Please tick one of the option as above)** in respect of Name of Item/goods/work/Services (Name) as mentioned in the tender of the corresponding period of time of this tender. A self-certified copy of the same attached as **Annexure 'C'** with this affidavit.
- 4. That in case the purchase Order of the quoted item is issued to me/us, it will not be outsourced or subcontracted to any other firm and the entire manufacturing of the order items shall be done in house by our Enterprise based in Haryana (address mentioned as at Sr. No. 1) Further, the billing will be done from Haryana.

Dated _____ **Signature with Seal of the Deponent (Bidder)**

I/we, _____ above deponent do hereby certify that the facts mentioned in above are correct to the best of my knowledge and belief, nothing has been concealed there in.

Dated _____ **Signature with Seal of the Deponent (Bidder)**

Note: *Affidavit duly notarized in original shall submit in the Office of Shri Vishwakarma Skill University, DUDHOLA, PALWAL, HARYANA on Technical Presentation day/date.*

[Handwritten signatures]



MODEL CLAUSE AND CERTIFICATE

Model Clauses for Tenders

- I. Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority.
- II. "Bidder" (including the term 'tenderer', 'consultant', 'Vendor', 'Supplier' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.
- III. "Bidder from a country which shares a land border with India" for the purpose of this order means: -
 - a. An entity incorporated, established or registered in such a country; or
 - b. A subsidiary of an entity incorporated, established or registered in such a country; or
 - c. An entity substantially controlled through entities incorporated, established or registered in such a country; or
 - d. An entity whose beneficial owner is situated in such a country; or
 - e. An Indian (or other) agent of such an entity; or
 - f. A natural person who is a citizen of such a county; or
 - g. A consortium or joint venture where any member of the consortium or joint venture falls under any of the above
- IV. The beneficial owner for the purpose of (iii) above will be as under:
 1. In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercises control through other means.

Explanation-

 - a. "Controlling ownership interest" means ownership of or entitlement to more than twenty-five percent of shares or capital or profits of the company;
 - b. "Control" shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their shareholding or management rights or shareholders agreements or voting agreements;
 2. In case of a partnership firm, the beneficial owner is the natural persons(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;
 3. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen

[Signature]

[Signature]

[Signature]



percent of the property or capital or profits of such association or body of individual;

4. Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;

5. In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.

V. An Agent is a person employed to do any act for another, or to represent another in dealings with third person.

VI. The successful bidder shall not be allowed to sub-contract works to any contractor or product origin from a country which shares a land border with India unless such contractor/manufacturer is registered with the Competent Authority.

Validity Registration:

In respect of tenders, registration should be valid at the time of submission of bids and at the time of acceptance of bids. In respect of supply otherwise than by tender, registration should be valid at the time of placement of order. If the bidder was validly registered at the time of acceptance of order, registration shall not be relevant consideration during contract execution.

Model Certificate for Tenders

"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I certify that this bidder is not from such a country or, if from such a country, has been registered with the Competent Authority. I hereby certify that this bidder fulfills all requirements in this regard and is eligible to be considered. [Where applicable, evidence of valid registration by the Competent Authority shall be attached.]"

Model Certificate for Tenders for Works involving possibility of Sub-contracting

"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such countries; I certify that this bidder is not from such a country or, if from such a country, has been registered with the Competent Authority and will not sub-contract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. I hereby certify that this bidder fulfills all requirements in this regard and is eligible to be considered. [Where applicable, evidence of valid registration by the Competent Authority shall be attached.]"

[Handwritten signatures in blue ink]



ANNEXURE – XVII

**(AN AGREEMENT BETWEEN SHRI VISHWAKARMA SKILL UNIVERSITY
AND THE SUPPLIER) ***

Shri Vishwakarma Skill University (SVSU), Enacted under Government of Haryana Act No.25 of 2016 having its transit office at Shri Vishwakarma Skill University, Dudhola, Palwal, Haryana represented through its authorized signatory **(Name of Officer), (Designation of Officer)** (which expression shall unless repugnant to the context or meaning there off includes its successors and assigns) here in after referred to as **SVSU** or Owner or the **First Party**.

And

Firm Name..... having its office at, through its authorized signatory **(Name &Post)**, (which expression shall unless repugnant to the context or meaning there off includes its successors and assigns) here in after referred to as execution Manufacturers/Authorized Dealers/ Distributors/Agent or the **Second Party**.

Whereas SVSU has invited Tender No..... for (Name of the Tender) dated and M/s (Firm Name) submitted its proposal in this regard. SVSU after considering its negotiation offer has decided to engage (Firm Name) as executing agency for Tender No..... for (Name of the Tender) dated

Firm Name..... (execution **Agency**) is hereby agreed to take the Tender No. for (Name of the Tender) at the quoted negotiation rates, terms and conditions contained the TENDER, Work Order/Purchase Order and duly communications of the above said work.

Now, therefore, in consideration of the mutual covenants herein contained, it is hereby agreed between the parties as follows: -

The agreement shall come into force immediately after signing of this agreement by both the parties and shall remain valid until the final completion of the job inclusive of warranty period or cancelled earlier by the Shri Vishwakarma Skill University, Haryana as per the time schedule prescribed in the tender document.

All the terms and conditions and Technical specifications contained in the Tender No. for (Name of the Tender) dated shall be the part of this agreement.

[Handwritten Signature]

[Handwritten Signature]

[Handwritten Signature: Phruti]



Firm Name..... (execution **Agency**) hereby declare that I shall remain bound and abide by the rates, terms and conditions and technical specifications of the aforesaid as well as TENDER, Work Order/Purchase Order and due communications of the above said work.

In Witness Whereof, the parties here to have caused this agreement to be signed in their respective names as of this day and year first above written.

Signed by

First Party: SVSU, Dudhola, Palwal
Signature with seal
Date & Place

Second Party:
Signature with seal
Date & Place

In presence of (Witnesses)

1.

1.

2.

2.

***Note-This Contract is to be Signed on Rs. 100/- Non Judicial Stamp paper within 15 days after receiving of LOA/LOI by the bidder/supplier from buye**

[Handwritten signatures in blue ink]



First Name: _____ (Contractor Agency) hereby declares that I
shall remain bound and abide by the terms, terms and conditions and technical
specifications of the above said work as well as TENDER Work Order/Purchase Order and the
communications of the above said work.

In Witness Whereof the parties here to have passed this agreement to be signed in their
respective names as of this day and year first above written.

Signed by

Second Party
Signature with seal
Date & Place

First Party: SRSU, Dardnola, Jaisalmer
Signature with seal
Date & Place

In presence of (Witnesses)

Note: This contract is to be signed on Rs. 100/- Non Judicial Stamp paper which
is duly received of D.A./E.O. by the bidder/supplier from page

[Handwritten signature in blue ink]